

ADDENDUM

Bibliography of articles dealing with water molds published in primary journals from 1987 through mid 2004 (English language only, arranged under five topic headings: Morphology, Ecology, Systematic, Pathology, Other)

Morphology (159 papers)

- Al Rekabi, S. A. 1987. Effect of calcium on vegetative growth and sporangia production of *Achlya proliferata* Nees. J. Biol. Sci. Res. 18:69-74.
- _____, and C. T. Zia. 1990. The effect of heavy metals on *Achlya americana* variety *cambrica* Trow. J. Environmental Sci. & Health Part A Environmental Sci. & Engineering 25:453-462.
- Ali, E. H. 2003. Response of *Achlya racemosa*, *A. proliferoides* and *Saprolegnia furcata* to sub-lethal treatments of amino acids. Mycobiol. 31:86-94.
- Allaway, W. G., A. E. Ashford, I. B. Heath, and A. R. Hardhams. 1997. Vacuolar reticulum in oomycete hyphal tips: an additional component of the Ca²⁺ regulatory system? Fungal Genet. & Biol. 22:209-220.
- Bachewich, C., and I. B. Heath. 1998. Radial F-actin arrays precede new hypha formation in *Saprolegnia*: implications for establishing polar growth and regulating tip morphogenesis. J. Cell Sci. 11:2005-2016.
- _____, and _____. 1999. Cytoplasmic migrations and vacuolation are associated with growth recovery in hyphae of *Saprolegnia*, and are dependent on the cytoskeleton. Mycol. Res. 103:849-858.
- _____, and _____. 1997. The cytoplasmic pH influences hyphal tip growth and cytoskeleton-related organization. Fungal Genet. & Biol. 21:76-91.
- _____, and _____. 1997. Differential cytoplasm-plasma membrane-cell wall adhesion patterns and their relationships to hyphal tip growth and organelle motility. Protoplasma 200:71-86.
- Bailey, T. A., K. Bradford, and C. E. Bland. 1990. Induction of sporulation and the influence of time, temperature and inoculum size on growth in two species of aquatic fungi: Saprolegniales. J. Elisha Mitchell Sci. Soc. 106:57-63.
- Bangyeekhun, E., S.M.A. Quiniou, J. E. Bly, and L. Cerenius. 2001. Characterisation of *Saprolegnia* sp. isolates from channel catfish. Diseases Aquat. Organisms 45:53-59.

- Barr, D. J. S., and N. L. Desaulniers. 1987. Ultrastructure of the *Lagena radicola* zoospore including a comparison with the primary and secondary *Saprolegnia* zoospores. *Canad. J. Bot.* 65:2161-2176.
- _____, and _____. 1997. Further studies on the flagellar apparatus in oomycetes: anterior roots. *Mycologia* 89:195-198.
- Beakes, G. W., A. W. Burr, S. E. Wood, and A. R. Hardham. 1995. The application of spore surface features in defining taxonomic versus ecological groupings in oomycete fungi. *Canad. J. Bot.* 73:S701-S711.
- Billon-Grand, G., M. F. Marais, J. P. Joseleau, V. Girard, L. Gay, and M. Fevre. 1997. A novel 1,3-beta-glucan synthase from the oomycete *Saprolegnia monoica*. *Microbiol. (Reading)* 143:3175-3183.
- Brunt, S. A., G. H. Perdew, D. O. Toft, and J. C. Silver. 1998. Hsp90-containing multiprotein complexes in the eukaryotic microbe *Achlya*. *Cell Stress & Chaperones* 3:44-56.
- _____, R. Riehl, and J. C. Silver. 1990. Steroid hormone regulation of the *Achlya ambisexualis* 85-kilodalton heat shock protein a component of the *Achlya* steroid receptor complex. *Molec. Cellular Biol.* 10:273-281.
- _____, and J. C. Silver. 1987. Steroid hormone-regulated basic proteins in *Achlya ambisexualis*. *Exp. Mycol.* 11:65-69.
- Bulone, V., H. Chanzy, L. Gay, V. Girard, and M. Fevre. 1992. Characterization of chitin and chitin synthase from the cellulosic cell wall fungus *Saprolegnia monoica*. *Exp. Mycol.* 16:8-21.
- _____, and M. Fevre. 1996. A 34-kilodalton polypeptide is associated with 1,3-beta-glucan synthase activity from the fungus *Saprolegnia monoica*. *FEMS Microbiol. Letters* 140:145-150.
- _____, V. Girard, and M. Fevre. 1990. Separation and partial purification of 1,3-beta glucan and 1,4-beta glucan synthases from *Saprolegnia*. *Pl. Physiol. (Rockville)* 94:1748-1755.
- Burr, A. W., and G. W. Beakes. 1994. Characterization of zoospore and cyst surface structure in saprophytic and fish pathogenic *Saprolegnia* species (oomycete fungal protists). *Protoplasma* 181:142-163.
- Cahill, D. M., and A. R. Hardham. 1994. Exploitation of zoospore taxis in the

- development of a novel dipstick immunoassay for the specific detection of *Phytophthora cinnamomi*. *Phytopathol.* 84:193-200.
- Carlile, M. J. 1996. The discovery of fungal sex hormones: II. Antheridiol. *Mycologist* 10:113-117.
- Cerenius, L., P. Rennie, and L. C. Fowke. 1988. Endocytosis of cationized ferritin by zoospores of the fungus *Aphanomyces euteiches*. *Protoplasma* 144:119-124.
- _____, S. Rufelt, and K. Söderhäll. 1992. Effects of ampropylfos ((RS)-1-aminopropylphosphonic acid) on zoospore formation, repeated zoospore emergence and oospore formation in *Aphanomyces* spp. *Pesticide Sci.* 36:189-194.
- Cho, C. W., F. M. Harold, and W. J. A. Schreurs. 1991. Electric and ionic dimensions of apical growth in *Achlya* hyphae. *Exp. Mycol.* 15:34-43.
- Cooper, J. A., J. M. Pillinger, and I. Ridge. 1997. Barley straw inhibits growth of some aquatic saprolegniaceous fungi. *Aquaculture* 156:157-163.
- Cooper-Palomar, J. L., and M. J. Powell. 1988. Sites of calcium concentration during sexual reproduction of *Achlya ambisexualis*. *Mycologia* 80:783-789.
- Deacon, J. W., and G. Saxena. 1998. Germination triggers of zoospore cysts of *Aphanomyces euteiches* and *Phytophthora parasitica*. *Mycol. Res.* 102:33-41.
- De-Silva, L. R., J. Youatt, G. W. Gooday, and N. A. R. Gow. 1992. Inwardly directed ionic currents of *Allomyces macrogynus* and other water moulds indicate sites of proton-driven nutrient transport but are incidental to tip growth. *Mycol. Res.* 96:925-931.
- Dieguez-Uribeondo, J., L. Cerenius, and K. Söderhäll. 1994. Repeated zoospore emergence in *Saprolegnia parasitica*. *Mycol. Res.* 98:810-815.
- _____, G. Gierz, and S. Bartnicki-Garcia. 2004. Image analysis of hyphal morphogenesis in Saprolegniaceae (Oomycetes). *Fungal Genet. & Biol.* 41:293-307.
- Du, X., and J. T. Mullins. 1998. Ca²⁺ -induced sporulation in *Achlya bisexualis*: reserve 1,3-beta-glucans provide both carbon and phosphorus. *Mycologia* 90:990-994.
- _____, and _____. 1999. Glucan 1,3-beta-glucosidase activities of *Achlya bisexualis*: synthesis and properties. *Mycologia* 91:353-358.
- Durso, L., L. P. Lehnen, Jr., and M. J. Powell. 1993. Characteristics of extracellular adhesions produced during *Saprolegnia ferax* secondary zoospore encystment and

- cystospore germination. *Mycologia* 85:744-755.
- Dyer, A. T., and C. E. Windels. 2003. Viability and maturation of *Aphanomyces cochlioides* oospores. *Mycologia* 95:321-326.
- El-Feki, M., K. Hatai, and M. M. A. Hussein. 2003. Chemotactic and chemokinetic activities of *Saprolegnia parasitica* toward different metabolites and fish tissue extracts. *Mycosci.* 44:159-162.
- El-Hissy, F. T., M. A. El-Nagdy, H. M. El-Sharouny, and G. A. Abd-Elaah. 1995. Effect of the fungicide chlorothalonil (Bravo) on some metabolic activities of aquatic fungi. *Folia Microbiol.* 40:341-344.
- _____, A. M. Khallil, and A. M. Abdel-Raheem. 1993. Effect of some heavy metals on the mycelial growth of *Achlya racemosa* and *Alatospora acuminata*. *Zentralbl. Mikrobiol.* 148:535-542.
- Fletcher, J. 1988. Effects of external calcium concentration and of the ionophore a-23187 on development of oogonia, oospores and gemmae in *Saprolegnia diclina*. *Ann. Bot. (Lond.)* 62:445-448.
- Fonvieille, J. L., A. Razki, J. M. Touze Soulet, R. Dargent, and J. Rami. 1991. Effect of monensin on the lipid composition of *Achlya bisexualis*. *Mycol. Res.* 95:480-483.
- Garrill, A., S. L. Jackson, R. R. Lew, and I. B. Heath. 1993. Ion channel activity and tip growth: Tip-localized stretch-activated channels generate an essential calcium gradient in the oomycete *Saprolegnia ferax*. *Eur. J. Cell Biol.* 60:358-365.
- _____, R. R. Lew, and I. B. Heath. 1992. Stretch-activated calcium and calcium activated potassium channels in the hyphal tip plasma membrane of the Oomycete *Saprolegnia ferax*. *J. Cell Sci.* 101:721-730.
- Gay, L., V. Bulone, V. Girard, M. Fevre, and H. Chanzy. 1992. Chitin pleomorphism in the cellulosic cell wall fungus *Saprolegnia*. *FEMS Microbiol. Letters* 100:405-409.
- _____, H. Chanzy, V. Bulone, V. Girard, and M. Fevre. 1993. Synthesis *in vitro* of crystalline chitin by a solubilized enzyme from the cellulosic fungus *Saprolegnia monoica*. *J. Gen. Microbiol.* 139:2117-2122.
- Girard, V., V. Bulone, and M. Fevre. 1992. Separation and partial peptide characterization of beta-1-3 glucan synthase from *Saprolegnia*. *Pl. Sci. (Shannon)* 82:145-153.

- _____, and M. Fèvre. 1991. Solubilization of a membrane-bound stimulator of 1,3-beta glucan synthase from *Saprolegnia*. Pl. Sci. (Shannon) 76:193-200.
- _____, _____, R. Mayer, and M. Benziman. 1991. Cyclic diguanylic acid stimulates 1,4-beta glucan synthase from *Saprolegnia monoica*. FEMS Microbiol. Letters 82:293-296.
- Gow, N. A. R., and G. W. Gooday. 1987. Effects of antheridiol on growth branching and electrical currents of hyphae of *Achlya ambisexualis*. J. Gen. Microbiol. 133:3531-3536.
- Grinberg, A., and I. B. Heath. 1997. Direct evidence for Ca²⁺ regulation of hyphal branch induction. Fungal Genet. & Biol. 22:127-139.
- Gupta, G. D., and I. B. Heath. 1997. Actin disruption by latrunculin B causes turgor-related changes in tip growth of *Saprolegnia ferax* hyphae. Fungal Genet. & Biol. 21:64-75.
- Hamberg, M. 1989. Fatty acid hydroperoxide isomerase in *Saprolegnia parasitica* structural studies of epoxy alcohols formed from isomeric hydroperoxyoctadecadienoates. Lipids 24:249-255.
- Harold, F. M., R. L. Harold, and N. P. Money. 1995. What forces drive cell wall expansion? Canad. J. Bot. 73:S379-S383.
- Harold, R. L., and F. M. Harold. 1992. Configuration of actin microfilaments during sporangium development in *Achlya bisexualis*: Comparison of two staining protocols. Protoplasma 171:110-116.
- _____, N. P. Money, and F. M. Harold. 1996. Growth and morphogenesis in *Saprolegnia ferax*: is turgor required? Protoplasma 191:105-114.
- Hassan, S. K. M., and E. M. Fadl-Allah. 1993. Effect of salinity on biology of *Saprolegnia ferax* and *Pythium ultimum*. Acta Mycol. 28:39-43.
- Hatai, K., and G. I. Hoshiai. 1993. Characteristics of two *Saprolegnia* species isolated from coho salmon with saprolegniosis. J. Aquat. Animal Health 5:115-118.
- _____, L. G. Willoughby, and G. W. Beakes. 1990. Some characteristics of *Saprolegnia* obtained from fish hatcheries in Japan. Mycol. Res. 94:182-190.
- Heath, I. B. 1987. Preservation of a labile cortical array of actin filaments in growing hyphal tips of the fungus *Saprolegnia ferax*. Eur. J. Cell Biol. 44:10-16.

- _____. 1988. Evidence against a direct role for cortical actin arrays in saltatory organelle motility in hyphae of the fungus *Saprolegnia ferax*. *J. Cell Sci.* 91:41-48.
- _____, G. Gupta, and S. Bai. 2000. Plasma membrane-adjacent actin filaments, but not microtubules, are essential for both polarization and hyphal tip morphogenesis in *Saprolegnia ferax* and *Neurospora crassa*. *Fungal Genet. & Biol.* 30:45-62.
- _____, and R. L. Harold. 1992. Actin has multiple roles in the formation and architecture of zoospores of the oomycetes *Saprolegnia ferax* and *Achlya bisexualis*. *J. Cell Sci.* 102:611-627.
- _____, and E. J. Janse-Van-Rensburg. 1996. Critical evaluation of the VSC model for tip growth. *Mycosci.* 37:71-80.
- _____, and S. G. W. Kaminskyj. 1989. The organization of tip-growth-related organelles and microtubules revealed by quantitative analysis of freeze-substituted oomycete hyphae. *J. Cell Sci.* 93:41-52.
- Helbert, W., J. Sugiyama, M. Ishihara, and S. Yamanaka. 1997. Characterization of native crystalline cellulose in the cell walls of Oomycota. *J. Biotechnol.* 57:29-37.
- Herman, R. P., and M. Hamberg. 1987. Properties of the soluble arachidonic acid 15 lipoxygenase and 15 hydroperoxide isomerase from the oomycete *Saprolegnia parasitica*. *Prostaglandins* 34:129-140.
- _____, and M. M. Luchini. 1989. Lipoxygenase activity in the oomycete *Saprolegnia* is dependent on environmental cues and reproductive competence. *Exp. Mycol.* 13:372-379.
- _____, _____, and C. A. Herman. 1989. Hormone-dependent lipoxygenase activity in *Achlya ambisexualis*. *Exp. Mycol.* 13:95-99.
- _____, _____, Y. M. Martinez, C. A. Herman, and A. D. Garcia. 1990. Cyclic nucleotides modulate lipoxygenase activity and reproduction in Oomycetes. *Exp. Mycol.* 14:322-330.
- Hill, T. W. 1996. Electrophoretic characterization of endo-(1,4)-beta-glucanases secreted during assimilative growth and antheridiol-induced branching in *Achlya ambisexualis*. *Canad. J. Microbiol.* 42:557-561.
- _____, D. M. Loprete, K. N. Vu, S. P. Bayat-Mokhtari, and L. V. Hardin. 2002. Proteolytic release of membrane-bound endo-(1,4)-beta-glucanase activity associated with cell wall softening in *Achlya ambisexualis*. *Canad. J. Microbiol.* 48:93-98.

- _____, and M. P. Pott. 1997. Regulation of extracellular proteases in *Achlya ambisexualis*. *Canad. J. Bot.* 75:440-444.
- Hood, M. A., and P. M. Robinson. 1989. Formation of aerial hyphae in *Saprolegnia ferax*. *Mycol. Res.* 93:101-105.
- Horton, J. S., and P. A. Horgen. 1989. Molecular cloning of complementary DNA regulated during steroid-Induced sexual differentiation in the aquatic fungus *Achlya*. *Exp. Mycol.* 13:263-273.
- Hyde, G. J., and I. B. Heath. 1995. Ca²⁺ -dependent polarization of axis establishment in the tip-growing organism, *Saprolegnia ferax*, by gradients of the ionophore A23187. *Eur. J. Cell Biol.* 67:356-362.
- _____, and I. B. Heath. 1997. Ca²⁺ gradients in hyphae and branches of *Saprolegnia ferax*. *Fungal Genet. & Biol.* 21:238-251.
- Islam, M. T., T. Ito, and S. Tahara. 2001. Morphological studies on zoospores of *Aphanomyces cochlioides* and changes during interaction with host materials. *J. Gen. Pl. Pathol.* 67:255-261.
- _____, and S. Tahara. 2001. Chemotaxis of fungal zoospores, with special reference to *Aphanomyces cochlioides*. *Bioscience Biotech. Biochem.* 65:1933-1948.
- Jackson, S. L., and I. B. Heath. 1989. Effects of exogenous calcium ions on tip growth intracellular calcium concentration and actin arrays in hyphae of the fungus *Saprolegnia ferax*. *Exp. Mycol.* 13:1-12.
- _____, and _____. 1990. Evidence that actin reinforces the extensible hyphal apex of the oomycete *Saprolegnia ferax*. *Protoplasma* 157:144-153.
- _____, and _____. 1990. Visualization of actin arrays in growing hyphae of the fungus *Saprolegnia ferax*. *Protoplasma* 154:66-70.
- _____, and _____. 1992. UV microirradiations elicit calcium-dependent apex-directed cytoplasmic contractions in hyphae. *Protoplasma* 170:46-52.
- _____, and _____. 1993. The dynamic behavior of cytoplasmic F-actin in growing hyphae. *Protoplasma* 173:23-34.
- _____, and _____. 1993. UV microirradiation implicates F-actin in reinforcing growing hyphal tips. *Protoplasma* 175:67-74.

- Johns, S., C. M. Davis, and N. P. Money. 1999. Pulses in turgor pressure and water potential: resolving the mechanics of hyphal growth. *Microbiol. Res.* 154:225-231.
- Kaminskyj, S. G. W., A. Garrill, and I. B. Heath. 1992. The relation between turgor and tip growth in *Saprolegnia ferax* turgor is necessary but not sufficient to explain apical extension rates. *Exp. Mycol.* 16:64-75.
- _____, and I. B. Heath. 1992. Age-dependent differential responses of *Saprolegnia* hyphal tips to a helical growth-inducing factor in the agar substitute, gellan. *Exp. Mycol.* 16:230-239.
- _____, and _____. 1994. A comparison of techniques for localizing actin and tubulin in hyphae of *Saprolegnia ferax*. *J. Histochemistry & Cytochemistry* 42:523-530.
- _____, and _____. 1996. Studies on *Saprolegnia ferax* suggest the general importance of the cytoplasm in determining hyphal morphology. *Mycologia* 88:20-37.
- _____, and _____. 1995. Integrin and spectrin homologues, and cytoplasm-wall adhesion in tip growth. *J. Cell Sci.* 108:849-856.
- _____, S. L. Jackson, and I. B. Heath. 1992. Fixation induces differential polarized translocations of organelles in hyphae of *Saprolegnia ferax*. *J. Microscopy (Oxford)* 167:153-168.
- Kendrick, A., and C. Ratledge. 1992. Lipids of selected molds grown for production of N-3 and N-6 polyunsaturated fatty acids. *Lipids* 27:15-20.
- _____, and _____. 1992. Phospholipid fatty acyl distribution of three fungi indicates positional specificity for N-6 vs N-3 fatty acids. *Lipids* 27:505-508.
- Khallil, A. M. A., and S. A. Omar. 1993. Influence of the insecticide dimethoate on some metabolic activities of five zoosporic fungi. *J. Basic Microbiol.* 33:405-411.
- Kitancharoen, N., K. Yuasa, and K. Hatai. 1995. Morphological aspects of *Saprolegnia diclina* type 1 isolated from pejerrey, *Odonthetes bonariensis*. *Mycosci.* 36:365-368.
- _____, _____, and _____. 1996. Effects of pH and temperature on growth of *Saprolegnia diclina* and *S. parasitica* isolated from various sources. *Mycosci.* 37:385-390.
- Kjoller, R., and S. Rosendahl. 1996. The presence of the arbuscular mycorrhizal fungus *Glomus intraradices* influences enzymatic activities of the root pathogen *Aphanomyces euteiches* in pea roots. *Mycorrhiza* 6:487-491.

- _____, and _____. 1998. Enzymatic activity of mycelium compared with oospore development during infection of pea roots by *Aphanomyces euteiches*. *Phytopathol.* 88:992-996.
- Koulali, Y., J. L. Fonvieille, and R. Dargent. 1996. Influence of monensin on the composition of the plasmalemma of *Achlya bisexualis* male separated by free-flow electrophoresis. *Mycol. Res.* 100:551-560.
- Lam, F. K., G. J. Jing, and W. C. Leung. 1988. Distinctive multiple thymidine kinase species of the aquatic filamentous fungus *Achlya ambisexualis*. *Biochem. & Cell Biol.* 66:318-324.
- Larsen, J., K. Mansfeld-Giese, and L. Bodker. 2000. Quantification of *Aphanomyces euteiches* in pea roots using specific fatty acids. *Mycol. Res.* 104:858-864.
- Leal-Morales, C. A., L. Gay, M. Fevre, and S. Bartnicki-Garcia. 1997. The properties and localization of *Saprolegnia monoica* chitin synthase differ from those of other fungi. *Microbiol. (Reading)* 143:2473-2483.
- Lee, J., and J. T. Mullins. 1994. Cytoplasmic water-soluble beta-glucans in *Achlya*: response to nutrient limitation. *Mycologia* 86:235-241.
- _____, _____, and J. E. Gander. 1996. Water-soluble reserve polysaccharides from *Achlya* are (1→3)-beta-glucans. *Mycologia* 88:264-270.
- Lehnen, L. P., Jr., and M. J. Powell. 1993. Characterization of cell surface carbohydrates on asexual spores of the water mold *Saprolegnia ferax*. *Protoplasma* 175:161-172.
- _____, and _____. 1988. Cytochemical localization of carbohydrates in zoospores of *Saprolegnia ferax*. *Mycologia* 80:423-432.
- _____, and _____. 1989. The role of kinetosome-associated organelles in the attachment of encysting secondary zoospores of *Saprolegnia ferax* to substrates. *Protoplasma* 149:163-174.
- _____, and _____. 1991. Formation of K-2 bodies in primary cysts of *Saprolegnia ferax*. *Mycologia* 83:163-179.
- Léjohn, H. B., L. E. Cameron, B. Yang, G. Macbeath, D. S. Barker, and S. A. Williams. 1994. Cloning and analysis of a constitutive heat shock (cognate) protein 70 gene inducible by L-glutamine. *J. Biol. Chem.* 269:4513-4522.

- Levina, N. N., I. B. Heath, and R. R. Lew. 2000. Rapid wound responses of *Saprolegnia ferax* hyphae depend upon actin and Ca²⁺ involving deposition of callose plugs. *Protoplasma* 214:199-209.
- _____, R. R. Lew, and I. B. Heath. 1994. Cytoskeletal regulation of ion channel distribution in the tip-growing organism *Saprolegnia ferax*. *J. Cell Sci.* 107:127-134.
- _____, _____, G. J. Hyde, and I. B. Heath. 1995. The roles of Ca²⁺ and plasma membrane ion channels in hyphal tip growth of *Neurospora crassa*. *J. Cell Sci.* 108:3405-3417.
- Lew, R. R. 1999. Comparative analysis of Ca²⁺ and H⁺ flux magnitude and location along growing hyphae of *Saprolegnia ferax* and *Neurospora crassa*. *Eur. J. Cell Biol.* 78:892-902.
- _____, A. Garrill, L. Covic, I. B. Heath, and B. S. Serlin. 1992. Novel ion channels in the protists, *Mougeotia* and *Saprolegnia*, using sub-gigaseals. *FEBS Letters* 310:219-222.
- Lopez-Franco, R., S. Bartnicki-Garcia, and C. E. Bracker. 1994. Pulsed growth of fungal hyphal tips. *Proc. Nat. Acad. Sci. U.S.A.* 91:12228-12232.
- Manavathu, E. K., K. Suryanarayana, S. E. Hasnain, M. Leung, Y. F. Lau, and W. C. Leung. 1987. Expression of *Herpes simplex* virus thymidine kinase gene in aquatic filamentous fungus *Achlya ambisexualis*. *Gene (Amsterdam)* 57:53-60.
- _____, _____, _____, and W. C. Leung. 1988. DNA-mediated transformation in the aquatic filamentous fungus *Achlya ambisexualis*. *J. Gen. Microbiol.* 134:2019-2028.
- McMorris, T. C., P. H. Le, M. W. Preus, S. R. Schow, and G. R. Weihe. 1989. Synthesis of dehydro-oogoniol a female-activating hormone of *Achlya*: the progesterone route. *Steroids* 53:345-362.
- _____, D. O. Toft, S. Moon, and W. Wang. 1993. Biological response of the female strain *Achlya ambisexualis* 734 to dehydro-oogoniol and analogues. *Phytochem. (Oxford)* 32:833-837.
- Meyer, M. D., G. L. Carlson, D. O. Toft, A. M. Greaves, K. M. E. Ng, and T. C. McMorris. 1987. Synthesis of highly tritiated 7-deoxy-7-dihydroantheridiol and antheridiol. *J. Labelled Compounds & Radiopharm.* 24:171-184.
- Money, N. P. 1990. Measurement of hyphal turgor. *Exp. Mycol.* 14:416-425.
- _____. 1990. Measurement of pore size in the hyphal cell wall of *Achlya bisexualis*. *Exp. Mycol.* 14:234-242.

- _____. 1995. Turgor pressure and the mechanics of fungal penetration. *Canad. J. Bot.* 73:S96-S102.
- _____, G. W. Beakes, J. Webster, and G. Wakley. 1987. Rudimentary flagella in sporangiospores of *Achlya*. *Trans. Brit. Mycol. Soc.* 89:108-114.
- _____, and C. Brownlee. 1987. Structural and physiological changes during sporangial development in *Achlya intricata* Beneke. *Protoplasma* 136:199-204.
- _____, and F. M. Harold. 1992. Extension growth of the water mold *Achlya*: interplay of turgor and wall strength. *Proc. Nat. Acad. Sci. U.S.A.* 89:4245-4249.
- _____, and _____. 1993. Two water molds can grow without measurable turgor pressure. *Planta (Heidelberg)* 190:426-430.
- _____, and T. W. Hill. 1997. Correlation between endoglucanase secretion and cell wall strength in oomycete hyphae: Implications for growth and morphogenesis. *Mycologia* 89:777-785.
- _____, and J. Webster. 1987. Aspects of spore ball formation in *Achlya*. *Trans. Brit. Mycol. Soc.* 88:341-346.
- _____, and _____. 1988. Cell wall permeability and its relationship to spore release in *Achlya intricata*. *Exp. Mycol.* 12:169-179.
- _____, and _____. 1989. Mechanism of sporangial emptying in *Saprolegnia*. *Mycol. Res.* 92:45-49.
- _____, _____, and R. Ennos. 1988. Dynamics of sporangial emptying in *Achlya intricata*. *Exp. Mycol.* 12:13-27.
- Moon, S., L. M. Stuhmiller, R. K. Chadha, and T. C. Morris. 1990. Synthesis of dehydrooogoniol and oogoniol the adrenosterone route. *Tetrahedron* 46:2287-2306.
- _____, _____, and T. C. McMorris. 1989. Synthesis of oogoniol. *J. Organic Chem.* 54:26-28.
- Nes, W. D., and P. H. Le. 1988. Regulation of sterol biosynthesis in *Saprolegnia ferax* by 25 azacholesterol. *Pesticide Biochem. Physiol.* 30:87-94.
- Nodet, P., A. Capellano, and M. Fevre. 1990. Morphogenetic effects of congo red on hyphal growth and cell wall development of the fungus *Saprolegnia monoica*. *J. Gen. Microbiol.* 136:303-310.

- Padgett, D. E., A. S. Kendrick, J. H. Heath, and W. D. Webster. 1988. Influence of salinity temperature and nutrient availability on the respiration of saprolegniaceous fungi (oomycetes). *Holarctic Ecol.* 11:119-126.
- Paternoster, M. P., and R. G. Burns. 1996. A novel medium for the oosporogenesis of *Aphanomyces cochlioides*. *Mycol. Res.* 100:936-938.
- Pekkala, D., and J. C. Silver. 1987. Heat-shock-induced changes in the phosphorylation of ribosomal and ribosome-associated proteins in the filamentous fungus *Achlya ambisexualis*. *Exp. Cell Res.* 168:325-337.
- _____, and _____. 1990. Characterization and nucleosomal core cocalization of *Achlya* histones involved in stress-induced chromatin condensation. *Exp. Cell Res.* 187:16-24.
- Pereira, S. L., Y. S. Huang, E. G. Bobik, A. J. Kinney, K. L. Stecca, J. C. L. Packer, and P. Mukerji. 2004. A novel omega3-fatty acid desaturase involved in the biosynthesis of eicosapentaenoic acid. *Biochem. J.* 378:665-671.
- Riehl, R. M. 1988. The effects of environmental stress of steroid receptor levels and steroid-induced morphogenesis in *Achlya ambisexualis*. *Exp. Cell Res.* 179:462-476.
- Sampson, K., R. R. Lew, and I. B. Heath. 2003. Time series analysis demonstrates the absence of pulsatile hyphal growth. *Microbiol. (Reading)* 149:3111-3119.
- Schreurs, W. J. A., and F. M. Harold. 1988. Transcellular proton current in *Achlya bisexualis* hyphae relationship to polarized growth. *Proc. Nat. Acad. Sci. U.S.A.* 85:1534-1538.
- _____, R. L. Harold, and F. M. Harold. 1989. Chemotropism and branching as alternative responses of *Achlya bisexualis* to amino acids. *J. Gen. Microbiol.* 135:2519-2528.
- Shapiro, A., and J. T. Mullins. 2002. Hyphal tip growth in *Achlya bisexualis*. I. distribution of 1,3-beta-glucans in elongating and non-elongating regions of the wall. *Mycologia* 94:267-272.
- _____, and _____. 2002. Hyphal tip growth in *Achlya bisexualis*. II. distribution of cellulose in elongating and non-elongating regions of the wall. *Mycologia* 94:273-279.
- Silver, J. C., S. A. Brunt, G. Kyriakopoulou, M. Borkar, and V. Nazarian-Armavil. 1993. Regulation of two different hsp70 transcript populations in steroid hormone-induced fungal development. *Developm. Genet.* 14:6-14.

- Smith, S. N., E. Ince, and R. A. Armstrong. 1990. Effect of osmotic and matrix potential on *Saprolegnia diclina* and *Saprolegnia ferax*. Mycol. Res. 94:71-77.
- Thiel, R., W. J. A. Schreurs, and F. M. Harold. 1988. Transcellular ion currents during sporangium development in the water mould *Achlya bisexualis*. J. Gen. Microbiol. 134:1089-1098.
- Thomas, D. D., and D. L. Butler. 1989. Cationic interactions regulate the initiation and termination of zoospore activity in the water mould *Achlya heterosexuales*. J. Gen. Microbiol. 135:1917-1922.
- _____, and A. P. Peterson. 1990. Chemotactic auto-aggregation in the water mold *Achlya*. J. Gen. Microbiol. 136:847-854.
- _____, and T. C. McMorris. 1987. Allomonal functions of steroid hormone antheridiol in water mold *Achlya*. J. Chem. Ecol. 13:1131-1138.
- Torralba, S., I. B. Heath, and F. P. Ottensmeyer. 2001. Ca²⁺ shuttling in vesicles during tip growth in *Neurospora crassa*. Fungal Genet. & Biol. 33:181-193.
- Weete, J. D., A. El Moughith, and J. M. Touze Soulet. 1989. Inhibition of growth lipid and sterol biosynthesis by monensin in fungi. Exp. Mycol. 13:85-94.
- Xu, D., W. A. Rogers, and A. E. Rushing. 1990. Ultrastructure of the hyphae of *Saprolegnia parasitica*. J. Aquat. Animal Health 2:289-294.
- Yokosawa, R., S. Kuninaga, A. Sakushima, and H. Sekizaki. 1995. Induction of oospore formation of *Aphanomyces euteiches* Drechsler by calcium ion. Ann. Phytopathol. Soc. Japan 61:434-438.
- Yuan, S., and I. B. Heath. 1991. Chlorotetracycline staining patterns of growing hyphal tips of the oomycete *Saprolegnia ferax*. Exp. Mycol. 15:91-102.
- _____, and _____. 1991. A comparison of fluorescent membrane probes in hyphal tips of *Saprolegnia ferax*. Exp. Mycol. 15:103-115.

Ecology (72 papers)

- Abd-Elaah, G.-A. 1998. The occurrence of fungi along the Red Sea coast and variability among isolates of *Fusarium* as revealed by isozyme analysis. J. Basic Microbiol. 38:303-311.

- Abd-Elaah, G.-A. 1999. The occurrence of fungi along the Red Sea coast and variability among isolates of *Fusarium* as revealed by isozyme analysis. *Egypt. J. Microbiol.* 34:253-268.
- Abdel-Hafez, A.-I.-I., and A.-M. Khallil. 1992. Occurrence of zoosporic and other moulds in water and mud from slaughterhouse and tanyard at Assiut, Egypt. *Zentralbl. Mikrobiol.* 147:513-528.
- Ali, E.-H., and A. Abdel-Raheem. 2003. Distribution of zoosporic fungi in the mud of major Egyptian lakes. *J. Basic Microbiol.* 43:175-184.
- Bagy, M. M. K., A. M. Khallil, and A.-H. Obuid-Allah. 1992. Fungi inhabiting some aquatic macro-invertebrates and water plants of the Nile in Egypt. *Zentralbl. Mikrobiol.* 147:459-475.
- Butty, A. K. N. 1989. Isolation of Saprolegniaceae from the Tigris River Iraq and notes on their occurrence in winter season. *J. Environmental Sci. & Health Part A Environmental Sci. & Engineering* 24:505-514.
- Carruthers, F. L., A. J. Conner, and H. K. Mahanty. 1994. Identification of a genetic locus in *Pseudomonas aureofaciens* involved in fungal inhibition. *Appl. & Environmental Microbiol.* 60:71-77.
- Chaturvedi, A. P., and R. Dayal. 1989. Decomposing leaf litter in ponds of Varanasi India lower fungi. *Crop Res. (Hisar)* 2:30-33.
- Comic, L., B. Rankovic, and F. Barbic. 1996. Community of fungi in Gruza reservoir, Yugoslavia. *Ergebn. der Limnologie* 0:105-111.
- Czeczuga, B. 1991. Studies of aquatic fungi: XXIV. Aquatic fungi in the water of melting snow. *Acta Mycol.* 27:257-265.
- _____. 1993. Aquatic fungi of the Gorbacz and Ostrowki peatbogs. *Acta Mycol.* 28:69-75.
- _____. 1993. Studies of aquatic fungi XXVIII. The presence of predatory fungi in the waters of north-eastern Poland. *Acta Mycol.* 28:211-217.
- _____. 1994. Aquatic fungi of twelve Augustow Lakes with reference to the chemistry of the environment. *Acta Mycol.* 29:217-227.
- _____. 1994. Studies of aquatic fungi: 17. Aquatic fungi of Lake Hancza in the Suwalki Scenic Park and of some adjacent lakes (northeastern Poland). *Acta Hydrobiol.*

36:371-385.

- ___, and A. Godlewska. 1998. Chitinophilic zoosporic fungi in various types of water bodies. *Acta Mycol.* 33:43-58.
- ___, ___, and B. Kiziewicz. 2004. Aquatic fungi growing on feathers of wild and domestic bird species in limnologically different water bodies. *Polish J. Environmental Studies* 13:21-31.
- ___, and B. Mazalska. 1996. Zoosporic fungi growing on bird excrements in the water of the river Biala. *Acta Mycol.* 31:45-55.
- ___, and ___. 2000. Zoosporic aquatic fungi growing on avian excrements in various types of water bodies. *Limnologica* 30:323-330.
- ___, ___, and M. Orłowska. 2000. New aquatic sites of the fungus *Sommerstorffia spinosa*. *Acta Mycol.* 35:261-268.
- ___, and E. Muszynska. 1994. Keratinophilic fungi in various types of water bodies. *Acta Mycol.* 29:201-215.
- ___, ___, and A. Pankiewicz. 1999. Zoosporic fungi in the ice of some water reservoirs. *Acta Soc. Bot. Poloniae* 68:143-147.
- ___, and L. Woronowicz. 1991. Studies on aquatic fungi: XXI. The Lake Mamry complex. *Acta Mycol.* 27:93-103.
- Deacon, J. W., and G. Saxena. 1997. Orientated zoospore attachment and cyst germination in *Catenaria anguillulae*, a facultative endoparasite of nematodes. *Mycol. Res.* 101:513-522.
- Dudka, I. O., S. P. Wasser, and E. Nevo. 1996. A preliminary report on aquatic Oomycetes and Hyphomycetes from Israel. *Ukr. Bot. Zhur.* 53:517-527.
- El-Hissy, F. T. 1994. Oomycetes and Chytridiomycetes (Mastigomycotina) from water bodies in Tuebingen region (Germany). *J. Basic Microbiol.* 34:67-76.
- ___, and G. A. Abd Elaah. 1989. Aquatic Fungi from Egyptian Soils Upper Egypt.
- ___, and A. M. Khalil. 1989. Combined effects of salinity and temperature on some morphological aspects of four zoosporic fungi. *J. Basic Microbiol.* 29:281-289.
- ___, and ___. 1989. Studies on aquatic fungi in delta region Egypt. *Zentralbl. Mikrobiol.*

144:421-432.

- ___, A. R. Khallil, and E. Ali. 1994. Aquatic Phycomycetes from Egyptian soil (Delta region). *Microbiol.Res.* 149:271-282.
- ___, S. A. El-Zayat, A. R. M. Khallil, and M. S. Massoud. 1997. Aquatic fungi from the submerged mud of Aswan High Dam Lake. *Microbiol.Res.* 152:27-32.
- ___, ___, and M. S. Massoud. 2000. Monthly and vertical fluctuations of aquatic fungi at different depths in Aswan High Dam Lake, Egypt.
- ___, A. M. Moharram, S. A. El-Zayat, and M. S. Massoud. 1996. Aquatic Phycomycetes recovered from Aswan High Dam Lake (AHDL). *Microbiol.Res.* 151:149-156.
- ___, and F. Oberwinkler. 1999. Aquatic Phycomycetes isolated from natural surface waters in Baden Wuerttemberg (Germany). *Acta Hydrobiol. Polon.* 48:363-372.
- ___, and ___. 1999. Oomycetes and Chytridiomycetes (Mastigomycotina) from different soil habitats in Tuebingen region (Germany). *Acta Hydrobiol.* 41:139-153.
- El-Nagdy, M. A. 1991. The occurrence of zoosporic fungi in desert soils from Egypt. *Zentralbl. Mikrobiol.* 146:231-236.
- ___, and S. I. I. Abdel Hafez. 1990. Occurrence of zoosporic and terrestrial fungi in some ponds of Kharga oases Egypt. *J. Basic Microbiol.* 30:233-240.
- ___, 2000. Occurrence of zoosporic organisms in the western region of Saudi Arabia. *Mycobiol.* 28:193-196.
- ___, 2000. Mycota of well waters in Assiut, Egypt. *Mycobiol.* 28:197-201.
- ___, and L. A. Nasser. 2000. Occurrence of zoosporic and terrestrial fungi in accumulated rainfall water in the Riyadh region (Saudi Arabia).
- Elvebakk, A., H.-B. Gjaerum, and S. Sivertsen. 1996. Part 4. Fungi II. Myxomycota, Oomycota, Chytridiomycota, Zygomycota, Ascomycota, Deuteromycota, Basidiomycota: Uredinales and Ustilaginales. *Norsk Polarinst. Skr.* 198:207-259.
- Ghildiyal, J. C. 1993. Mycoflora of decomposing leaf litter in a subtropical freshwater swamp. *Proc. Nat. Acad. Sci. India, Sect. B, Biol. Sci.* 63:207-211.
- Golubeva, O. G., and S. L. Stephenson. 2003. Zoosporic fungi from subantarctic Campbell Island. *New Zealand J. Bot.* 41:319-324.

- Hassan, S. K. M., E. M. Fadl Allah, L. A. Kobbia, and M. A. Shoulkamy. 1990. Regulation of growth and metabolic activities of *Chlorella fusca* by release products of some aquatic fungi. Korean J. Mycol. 18:181-190.
- _____, and E. M. Fadl-Allah. 1991. Studies on some zoosporic fungi in soils of Upper Egypt. Acta Mycol. 27:159-170.
- Hearth, J. H., and D. E. Padgett. 1990. Salinity tolerance of an *Aphanomyces* isolate (oomycetes) and its possible relationship to ulcerative mycosis UM of Atlantic Menhaden. Mycologia 82:364-369.
- Hemida, S. K., M. M. K. Bagy, and A. M. A. Khallil. 1993. Fungal flora of cement polluted soils in Egypt. Zentralbl. Mikrobiol. 148:148-157.
- Josefsson, M., and B. Andersson. 2001. The environmental consequences of alien species in the Swedish lakes Malaren, Hjalmarren, Vanern and Vattern. Ambio 30:514-521.
- Khallil, A. M., and A. M. Abdel-Sater. 1992. Fungi from water, soil and air polluted by the industrial effluents of Manquabad superphosphate factory (Assiut, Egypt). Int. Biodeterioration & Biodegradation 30:363-386.
- _____, and _____. 1993. Fungi from water, soil and air polluted by the industrial effluents of Manquabad superphosphate factory (Assiut, Egypt). J. Basic Microbiol. 33:83-100.
- _____, F. T. El-Hissy, and A. Abdel-Raheem. 1993. Monthly variations of Oomycetes (zoosporic fungi) and aquatic Hyphomycetes at Sohag (Upper Egypt). Acta Soc. Bot. Poloniae 62:67-73.
- _____, _____, and E. H. Ali. 1995. Seasonal fluctuations of aquatic fungi recovered from Egyptian soil (Delta region). J. Basic Microbiol. 35:93-102.
- _____, M. M. K. Bagy, and N. A. El Shimy. 1991. Mycoflora associated with five species of freshwater leeches. J. Basic Microbiol. 31:437-446.
- _____. 1990. Mycoflora Associated with some freshwater plants collected from delta region Egypt. J. Basic Microbiol. 30:663-674.
- _____, F. T. El-Hissy, and M. M. K. Bagy. 1991. Mycoflora of mangroves of Red Sea in Egypt. Folia Microbiol. 36:456-464.
- Lilley, J. H., and V. Inglis. 1997. Comparative effects of various antibiotics, fungicides

- and disinfectants on *Aphanomyces invaderis* and other saprolegniaceous fungi. *Aquaculture Res.* 28:461-469.
- Lundy, S. D., R. J. Payne, K. R. Giles, and A. Garrill. 2001. Heavy metals have different effects on mycelial morphology of *Achlya bisexualis* as determined by fractal geometry. *FEMS Microbiol. Letters* 201:259-263.
- Mahadevan, B., and D. L. Crawford. 1997. Properties of the chitinase of the antifungal biocontrol agent *Streptomyces lydicus* WYEC108. *Enzyme & Microbial Technol.* 20:489-493.
- Mehdi, F. S., I. A. Siddiqui, and R. Ali. 2000. Aquatic fungi in polluted marine water and their relationship with dried fish. *Pakistan J. Sci. Industr. Res.* 43:241-243.
- Mori, T., H. Hirose, C. Hanjavanit, and K. Hatai. 2002. Antifungal activities of plant extracts against some aquatic fungi. *Biocontrol Sci.* 7:187-191.
- Muzzarelli, R.-A.-A., C. Muzzarelli, R. Tarsi, M. Miliani, F. Gabbanelli, and M. Cartolari. 2001. Fungistatic activity of modified chitosans against *Saprolegnia parasitica*. *Biomacromolecules* 2:165-169.
- Parihar, P., and R. K. S. Kushwaha. 1999. Decomposition of feathers by some keratinophilic fungi. *J. Mycol. Pl. Pathol.* 29:192-196.
- Purwantara, A., S. P. Flett, and P. J. Keane. 1996. Bioassay and baiting methods for determining occurrence of races of *Phytophthora clandestina* in soil. *Austral. J. Exp. Agric.* 36:815-822.
- Reavey, D. 1991. Do birch-feeding caterpillars make the right feeding choices? *Oecol.(Berlin)* 87:257-264.
- Sati, S. C., N. Tiwari, and T. Adhikari. 1992. Zoosporic fungi associated with vegetable growing soils of Khurpatal (Nainital) Kumaun Himalaya. *Proc. Nat. Acad. Sci. India, Sect. B, Biol. Sci.* 62:433-435.
- Sauter, M., R. W. Seagull, and H. Kende. 1993. Internodal elongation and orientation of cellulose microfibrils and microtubules in deepwater rice. *Planta (Heidelberg)* 190:354-362.
- Singh, D., A. P. Chaturvedi, and R. Dayal. 1992. Decomposition of leaf litter by fungi in aquatic habitats. *Proc. Nat. Acad. Sci. India, Sect. B, Biol. Sci.* 62:593-596.
- Smith, S. N., R. Chohan, S. G. Howitt, and R. A. Armstrong. 1994. Proteolytic activity

- amongst selected *Saprolegnia* species. Mycol. Res. 98:389-395.
- Steciow, M. M. 1997. The occurrence of *Achlya recurva* (Saprolegniales, Oomycetes) in hydrocarbon-polluted soil from Argentina. Rev. Iberoamericana Micologia 14:135-137.
- Willoughby, L. G. 1988. *Saprolegnia* parasitized by *Mortierella alpina*. Trans. Brit. Mycol. Soc. 90:496-499.
- _____, and R. Hasenjager. 1987. Formation and function of appressoria in *Saprolegnia*. Trans. Brit. Mycol. Soc. 89:373-380.
- Wood, S. E., L. G. Willoughby, and G. W. Beakes. 1988. Experimental studies on uptake and interaction of spores of the *Saprolegnia diclina-Saprolegnia-parasitica* complex with external mucus of brown trout *Salmo trutta*. Trans. Brit. Mycol. Soc. 90:63-74.
- Systematic** (63 papers)
- Bangyeekhun, E., L. Cerenius, and K. Soderhall. 2001. Molecular cloning and characterization of two serine proteinase genes from the crayfish plague fungus, *Aphanomyces astaci*. J. Invertebrate Pathol. 77:206-216.
- Bhattacharya, D., S. K. Stickel, and M. L. Sogin. 1991. Molecular phylogenetic analysis of actin genic regions from *Achlya bisexualis* Oomycota and *Costaria costata* Chromophyta. J. Molec. Evol. 33:525-536.
- Blackwell, W. H., and M. J. Powell. 1993. Taxonomic history of the oomycete genus *Thraustotheca*. Mycotaxon 47:183-192.
- _____, and _____. 1999. Taxonomic summary and reconsideration of the generic concept of *Dictyuchus*. Mycotaxon 73:247-256.
- Brunt, S. A., and J. C. Silver. 1991. Molecular cloning and characterization of two distinct Hsp85 sequences from the steroid responsive fungus *Achlya ambisexualis*. Curr. Genet. 19:383-388.
- _____, and _____. 2004. Molecular cloning and characterization of two different cDNAs encoding the molecular chaperone Hsp90 in the oomycete *Achlya ambisexualis*. Fungal Genet. & Biol. 41:239-252.
- Cameron, L. E., J. A. Hutsul, L. Thorlacius, and H. R. Léjohn. 1990. Cloning and analysis of beta tubulin gene from a Protoctist. J. Biol. Chem. 265:15245-15252.

- Carter, C. W., Jr., and W. L. Duax. 2002. Did t-RNA synthetase classes arise on opposite strands of the same gene? *Molec. Cell* 10:705-708.
- Dick, M. W., M. C. Vick, J. G. Gibbings, T. A. Hedderson, and C. C. Lopez-Lastra. 1999. 18S rDNA for species of *Leptolegnia* and other Peronosporomycetes: justification for the subclass taxa Saprolegniomycetidae and Peronosporomycetidae and division of the Saprolegniaceae *sensu lato* into the Leptolegniaceae and Saprolegniaceae. *Mycol. Res.* 103:1119-1125.
- Forster, H., M. D. Coffey, H. Elwood, and M. L. Sogin. 1990. Sequence analysis of the small subunit ribosomal RNA of three zoosporic fungi and implications for fungal evolution. *Mycologia* 82:306-312.
- Gandhe, R. V., and M. J. Desale. 2000. A new species of *Achlya* (Phycomycetes) from riverine waters. *J. Bombay Nat. Hist. Soc.* 97:400-402.
- _____, K. Gandhe, and M. J. Desale. 2001. *Achlya dayali*, a new water mould from the River Mutha. *J. Bombay Nat. Hist. Soc.* 98:246-249.
- _____, and A. Kurne. 2003. A new species of Indian water mould *Saprolegnia*. *Zoo's Print J.* 18:1271-1275.
- Gunderson, J. H., H. Elwood, A. Ingold, K. Kindle, and M. L. Sogin. 1987. Phylogenetic relationships between Chlorophytes, Chrysophytes, and Oomycetes. *Proc. Nat. Acad. Sci. U.S.A.* 84:5823-5827.
- Holub, E. B., C. R. Grau, and J. L. Parke. 1991. Evaluation of the *forma specialis* concept in *Aphanomyces euteiches*. *Mycol. Res.* 95:147-157.
- Horton, J. S., and P. A. Horgen. 1989. Polymorphisms in the nuclear DNA of *Achlya* species: some taxonomic implications. *Canad. J. Microbiol.* 35:1146-1155.
- Howlett, B. J., A. G. Brownlee, D. I. Guest, G. J. Adcock, and G. I. McFadden. 1992. The 5S ribosomal RNA gene is linked to large and small subunit ribosomal RNA genes in the oomycetes, *Phytophthora vignae*, *Phytophthora cinnamomi*, *Phytophthora megasperma f. sp. glycinea* and *Saprolegnia ferax*. *Curr. Genet.* 22:455-461.
- Hudspeth, D. S. S., S. A. Nadler, and M. E. S. Hudspeth. 2000. A COX2 molecular phylogeny of the Peronosporomycetes. *Mycologia* 92:674-684.
- Hussein, M. M. A., and K. Hatai. 1999. *Saprolegnia salmonis* sp. nov. isolated from sockeye salmon, *Onchyrhynchus nerka*. *Mycosci.* 40:387-391.

- Inaba, S., and S. Tokumasu. 2002. The genus *Brevilegnia* (Saprolegniales, Oomycetes) in Japan. *Mycosci.* 43:59-66.
- _____, and _____. 2002. *Saprolegnia semihypogyna* sp. nov., a saprolegniaceous oomycete isolated from soil in Japan. *Mycosci.* 43:73-76.
- Judelson, H. S., B. M. Tyler, and R. W. Michelmore. 1992. Regulatory sequences for expressing genes in oomycete fungi. *Molec. Gen. Genet.* 234:138-146.
- Kim, H. O., J. N. Park, D. J. Shin, H. B. Lee, S. B. Chun, and S. Bai. 2001. A gene encoding *Achlya bisexualis* beta amylase and its expression in *Saccharomyces cerevisiae*. *Biotech. Letters* 23:1101-1107.
- _____, _____, _____, _____, _____, and _____. 2001. A gene encoding beta-amylase from *Saprolegnia parasitica* and its expression in *Saccharomyces cerevisiae*. *J. Microbiol. Biotechnol.* 11:529-533.
- _____, _____, H. J. Sohn, D. J. Shin, C. Choi, S. Y. Im, H. B. Lee, S. B. Chun, and S. Bai. 2000. Cloning and expression in *Saccharomyces cerevisiae* of a beta-amylase gene from the oomycete *Saprolegnia ferax*. *Biotech. Letters* 22:1493-1498.
- Kitancharoen, N., and K. Hatai. 1997. *Aphanomyces frigidophilus* sp. nov. from eggs of Japanese char, *Salvelinus leucomaenis*. *Mycosci.* 38:135-140.
- _____, _____, R. Ogihara, and D. N. N. Aye. 1995. A new record of *Achlya klebsiana* from snakehead, *Channa striatus*, with fungal infection in Myanmar. *Mycosci.* 36:235-238.
- Konstantopoulou, I., C. A. Ouzounis, E. Drosopoulou, M. Yiangou, P. Sideras, C. Sander, and Z. G. Scouras. 1995. A *Drosophila* hsp70 gene contains long, antiparallel, coupled open reading frames (LAC ORFs) conserved in homologous loci. *J. Molec. Evol.* 41:414-420.
- Leclerc, M. C., J. Guillot, and M. Deville. 2000. Taxonomic and phylogenetic analysis of Saprolegniaceae (Oomycetes) inferred from LSU rDNA and ITS sequence comparisons. *Antonie van Leeuwenhoek* 77:369-377.
- Lilley, J. H., D. Hart, V. Panyawachira, S. Kanchanakhan, S. Chinabut, K. Soderhall, and L. Cerenius. 2003. Molecular characterization of the fish-pathogenic fungus *Aphanomyces invadans*. *J. Fish Dis.* 26:263-275.
- McNabb, S. A., and G. R. Klassen. 1988. Uniformity of mitochondrial DNA complexity

- in Oomycetes and the evolution of the inverted repeat. *Exp. Mycol.* 12:233-242.
- Mirta-Steciow, M. 2001. *Achlya fuegiana*, a new species from Tierra del Fuego province (Argentina). *Mycologia* 93:1195-1199.
- Molina, F. I., S. G. Jong, and G. Ma. 1995. Molecular characterization and identification of *Saprolegnia* by restriction analysis of genes coding for ribosomal RNA. *Antonie van Leeuwenhoek* 68:65-74.
- Monnerjahn, C., D. Techel, S. Ali-Mohamed, and L. Rensing. 2000. A non-stop antisense reading frame in the *grp78* gene of *Neurospora crassa* is homologous to the *Achlya klebsiana* NAD-gdh gene but is not being transcribed. *FEMS Microbiol. Letters* 183:307-312.
- Mort-Bontemps, M., and M. Fevre. 1995. Electrophoretic karyotype of *Saprolegnia monoica*. *FEMS Microbiol. Letters* 131:325-328.
- _____, L. Gay, and M. Fevre. 1997. CHS2, a chitin synthase gene from the oomycete *Saprolegnia monoica*. *Microbiol. (Reading)* 143:2009-2020.
- Muhsin, T. M. 1994. *Calyptralegnia basraensis* sp. nov. (Saprolegniaceae) from Iraq. *Polskie Archiwum Hydrobiologii* 41:415-418.
- Olsen, S., J. Haines, and S. Sivertsen. 1993. Three new hyaloscyphaceous fungi from Norway and Greenland. *Mycotaxon* 47:177-182.
- Padgett, D. E., J. C. Puckett, and W. M. Strickland. 2000. Taxonomic implications of unusual zoospore discharge in an isolate of *Saprolegnia unispora*. *Mycotaxon* 76:171-174.
- Petersen, A. B., and S. Rosendahl. 2000. Phylogeny of the Peronosporomycetes (Oomycota) based on partial sequences of the large ribosomal subunit (LSU rDNA). *Mycol. Res.* 104:1295-1303.
- Riethmueller, A., M. Weiss, and F. Oberwinkler. 1999. Phylogenetic studies of Saprolegniomycetidae and related groups based on nuclear large subunit ribosomal DNA sequences. *Canad. J. Bot.* 77:1790-1800.
- Sarkar, N., and R. Dayal. 1988. A new variety of *Dictyomorpha dioica* (Couch) Mullins. *Proc. Nat. Acad. Sci. India, Sect. B, Biol. Sci.* 58:403-406.
- Sati, S. C., and G. S. Mer. 1989. The possible correlation between certain asexual and sexual reproductive bodies in Saprolegniaceae. *Proc. Nat. Acad. Sci. India, Sect.*

- B, Biol. Sci. 59:93-98.
- Soumati, B., and M. W. Dick. 1989. Biometry of oogonia and oospores of Saprolegniaceae. Bot. J. Linnean Society 100:219-236.
- Spencer, M. A., M. C. Vick, and M. W. Dick. 2002. Revision of *Aplanopsis*, *Pythiopsis*, and 'subcentric' *Achlya* species (Saprolegniaceae) using 18S rDNA and morphological data. Mycol. Res. 106:549-560.
- Steciow, M. M. 2001. A new freshwater species of *Achlya* from Tierra del Fuego Province, Argentina. New Zealand J. Bot. 39:277-283.
- _____. 2001. *Saprolegnia longicaulis* (Saprolegniales, Straminipila), a new species from an Argentine stream. New Zealand J. Bot. 39:483-488.
- _____. 2002. *Saprolegnia milnae* (Saprolegniales, Straminipila), a new species from an Argentine river (Tierra del Fuego Province, Argentina). New Zealand J. Bot. 40:473-479.
- _____. 2003. A new species of *Brevilegnia* (Saprolegniales, Straminipila) from Buenos Aires Province, Argentina. Mycologia 95:934-942.
- _____. 2003. *Saprolegnia oliviae* sp. nov. isolated from an Argentine river (Tierra del Fuego Province, Argentina). FEMS Microbiol. Letters 219:253-259.
- _____, and L. A. Eliades. 2002. A new species of *Saprolegnia* (Saprolegniales, Straminipila), from a polluted Argentine channel. New Zealand J. Bot. 40:679-685.
- _____, and _____. 2002. *A. robusta* sp. nov., a new species of *Achlya* (Saprolegniales, Straminipila) from a polluted Argentine channel. Microbiol. Res. 157:177-182.
- _____, and _____. 2002. *Thraustotheca terrestris* (Oomycetes), a new species from Argentine agricultural soil. Nova Hedwigia 75:227-235.
- Techel, D., T., S. Haefker, M. Muschner, Y. Reimann, C. Li, Monnerjahn, and L. Rensing. 1998. Molecular analysis of a glucose-regulated gene (*grp78*) of *Neurospora crassa*. Biochimica & Biophysica Acta 1397:21-26.
- Unkles, S. E., J. M. Logsdon, Jr., K. Robison, J. R. Kinghorn, and J. M. Duncan. 1997. The *tigA* gene is a transcriptional fusion of glycolytic genes encoding triose-phosphate isomerase and glyceraldehyde-3-phosphate dehydrogenase in Oomycota. J. Bacteriol. 179:6816-6823.

- Upadhyay, M., and R. D. Khulbe. 2003. A new species of *Protoachlya* Upadhyay & Khulbe. *Mycopathol.* 156:343-347.
- Watanabe, T. 1987. *Plectospora myriandra* a rediscovered water mold in Japanese soil. *Mycologia* 79:77-81.
- Williamson, H. R., and P. B. Yitzchak. 1991. The synaptonemal complexes of *Achlya recurva* (Oomycetes) karyotype analysis and three-dimensional reconstruction of pachytene nuclei in antheridia and oogonia. *Canad. J. Bot.* 69:1384-1395.
- Willoughby, L. G. 1998. *Saprolegnia polymorpha* sp. nov., a fungal parasite on Koi carp, in the U.K. *Nova Hedwigia* 66:507-511.
- _____, R. J. Roberts, and S. Chinabut. 1995. *Aphanomyces invaderis* sp. nov., the fungal pathogen of freshwater tropical fish affected by epizootic ulcerative syndrome. *J. Fish Dis.* 18:273-275.
- Wittmann-Meixner, B., E. Weber, and A. Bresinsky. 1989. Different grades of correlation between relative nuclear DNA content chromosome number and ploidy levels in fungi. *Opera Bot.*:267-274.

Pathology (369 papers)

- Abbo, E. O., and J. A. G. Irwin. 1990. *Aphanomyces euteiches* a possible cause of Poor Lucerne establishment in the Lockyer Valley Queensland Australia. *Austral. J. Exp. Agric.* 30:361-364.
- Adhikari, T. B., C. M. Joseph, G. Yang, D. A. Phillips, and L. M. Nelson. 2001. Evaluation of bacteria isolated from rice for plant growth promotion and biological control of seedling disease of rice. *Canad. J. Microbiol.* 47:916-924.
- Agostini, J. P., T. R. Gottwald, and L. W. Timmer. 1993. Temporal and spatial dynamics of postbloom fruit drop of citrus in Florida. *Phytopathol.* 83:485-490.
- Akashi, K., K. Maeda, and A. Ogoshi. 1987. Soil environment in relation to the incidence of *Aphanomyces* root rot of spinach I. Effect of nitrate nitrogen on disease outbreak. *Ann. Phytopathol. Soc. Japan* 53:323-328.
- _____, T. Suzui, and A. Ogoshi. 1987. Soil environment in relation to the incidence of *Aphanomyces* root rot of spinach II. Effect of nitrate on zoospore infection and its mechanisms. *Ann. Phytopathol. Soc. Japan* 53:329-334.

- Alderman, D. J., D. Holdich, and I. Reeve. 1990. Signal crayfish as vectors in crayfish plague in Britain UK. *Aquaculture* 86:3-6.
- _____, J. L. Polglase, and M. Frayling. 1987. *Aphanomyces astaci* pathogenicity under laboratory and field conditions. *J. Fish Dis.* 10:385-394.
- Ali, S. M., B. Sharma, and M. J. Ambrose. 1993. Current status and future strategy in breeding pea to improve resistance to biotic and abiotic stresses. *Euphytica* 73:115-126.
- Allen, R. N., D. B. Letham, A. A. Akehurst, and M. M. Say. 1987. *Aphanomyces* root rot of bean at Valla New South Wales Australia. *Austral. Pl. Pathol.* 16:82-84.
- Allmaras, R. R., V. A. Fritz, F. L. Pflieger, and S. M. Copeland. 2003. Impaired internal drainage and *Aphanomyces euteiches* root rot of pea caused by soil compaction in a fine-textured soil. *Soil Tillage Res.* 70:41-52.
- Al-Shaikh, S. M., F. T. Mhaisen, G. H. Al-Khateeb, A. N. Balasem, and N. T. Mansoor. 1995. Collection of some fish parasites from the lower reaches of Diyala River, mid Iraq. *J. Environmental Sci. & Health Part A Environmental Sci. & Engineering & Toxic & Hazardous Substance Control* 30:1707-1715.
- Alvarez, F., B. Razquin, A. Villena, P. Lopez Fierro, and A. Zapata. 1988. Alterations in the peripheral lymphoid organs and differential leukocyte counts in *Saprolegnia*-infected brown trout *Salmo trutta fario*. *Veterinary Immunology Immunopathol.* 18:181-194.
- _____, A. Villena, A. Zapata, and B. Razquin. 1995. Histopathology of the thymus in *Saprolegnia*-infected wild brown trout, *Salmo trutta* L. *Veterinary Immunology Immunopathol.* 47:163-172.
- Anderson, J. A. D., S. L. Lewthwaite, R. A. Genet, D. Gallagher, and F. Braam. 1993. Karaka: A new fresh market potato with high resistance to *Globodera pallida* and *Globodera rostochiensis*. *New Zealand J. Crop Hort. Sci.* 21:95-97.
- Andersson, M. G., and L. Cerenius. 2002. Analysis of chitinase expression in the crayfish plague fungus *Aphanomyces astaci*. *Dis. Aquat. Organisms* 51:139-147.
- Avarre, J. C., R. Michelis, M. Hall, K. Söderhäll, M. Khayat, A. Tietz, and E. Lubzens. 2002. Lipid composition during sexual development of the noble crayfish *Astacus astacus* and effect of a fungal infection. *Invertebrate Reproduction & Development* 41:251-259.

- Bangyeekhun, E., P. Pylkko, P. Vennerstrom, H. Kuronen, and L. Cerenius. 2003. Prevalence of a single fish-pathogenic *Saprolegnia* sp. clone in Finland and Sweden. *Dis. Aquat. Organisms* 53:47-53.
- Banks, B., and T. J. C. Beebee. 1988. Reproductive success of natterjack toads *Bufo calamita* in two contrasting habitats. *J. Animal Ecol.* 57:475-492.
- Barbetti, M. J., K. Sivasithamparam, and D. H. Wong. 1987. Fungicidal drenches for control of root rot in subterranean clover. *Pl. & Soil* 101:151-158.
- Barnes, M. E., R. J. Cordes, and W. A. Sayler. 1997. Use of formalin during incubation of eyed eggs of inland fall chinook salmon. *Progr. Fish Cult.* 59:303-306.
- _____, D. E. Ewing, R. J. Cordes, and G. L. Young. 1998. Observations on hydrogen peroxide control of *Saprolegnia* spp. during rainbow trout egg incubation. *Progr. Fish Cult.* 60:67-70.
- _____, W. A. Sayler, and R. J. Cordes. 2001. Use of formalin treatments during incubation of eyed eggs of brown trout. *North Amer. J. Aquaculture* 63:333-337.
- _____, K. Wintersteen, W. A. Sayler, and R. J. Cordes. 2000. Use of formalin during incubation of rainbow trout eyed eggs. *North Amer. J. Aquaculture* 62:54-59.
- Beale, J. W., C. E. Windels, and L. L. Kinkel. 2002. Spatial distribution of *Aphanomyces cochlioides* and root rot in sugar beet fields. *Pl. Dis.* 86:547-551.
- Beattie, R. C., R. J. Aston, and A. G. P. Milner. 1991. A field study of fertilization and embryonic development in the common frog *Rana temporaria* with particular reference to acidity and temperature. *J. Appl. Ecol.* 28:346-357.
- Begum, P., Y. Hashidoko, M. T. Islam, Y. Ogawa, and S. Tahara. 2002. Zoosporicidal activities of anacardic acids against *Aphanomyces cochlioides*. *Zeitschr. Nat. Sect. C, J. Biosci.* 57:874-882.
- Bernardo, J. M., M. Ilheu, and A. M. Costa. 1997. Distribution, population structure and conservation of *Austropotamobius pallipes* in Portugal. *Bull. Francais Peche & Pisciculture* 347:617-624.
- Bisht, G. S., D. Bisht, C. Joshi, and R. D. Khulbe. 1996. Potential threat to reservoir fishery by fungi in Kumaun Himalaya, India. *Curr. Sci. (Bangalore)* 71:720-723.
- Blaustein, A. R., D. G. Hokit, R. K. O'Hara, and R. A. Holt. 1994. Pathogenic fungus contributes to amphibian losses in the Pacific Northwest. *Biol. Conservation*

67:251-254.

Blazer, V. S., J. H. Lilley, W. B. Schill, Y. Kiryu, C. L. Densmore, V. Panyawachira, and S. Chinabut. 2002. *Aphanomyces invadans* in Atlantic menhaden along the East Coast of the United States. *J. Aquat. Animal Health* 14:1-10.

___, W. K. Vogelbein, C. L. Densmore, E. B. May, J. H. Lilley, and D. E. Zwerner. 1999. *Aphanomyces* as a cause of ulcerative skin lesions of menhaden from Chesapeake Bay tributaries. *J. Aquat. Animal Health* 11:340-349.

Bly, J. E., L. A. Lawson, D. J. Dale, A. J. Szalai, R. M. Durborow, and L. W. Clem. 1992. Winter saprolegniosis in channel catfish. *Dis. Aquat. Organisms* 13:155-164.

___, ___, A. J. Szalai, and L. W. Clem. 1993. Environmental factors affecting outbreaks of winter saprolegniosis in channel catfish, *Ictalurus punctatus* (Rafinesque). *J. Fish Dis.* 16:541-549.

___, S. M. A. Quiniou, L. A. Lawson, and L. W. Clem. 1996. Therapeutic and prophylactic measures for winter saprolegniosis in channel catfish. *Dis. Aquat. Organisms* 24:25-33.

___, ___, ___, and ___. 1997. Inhibition of *Saprolegnia* pathogenic for fish by *Pseudomonas fluorescens*. *J. Fish Dis.* 20:35-40.

Bodker, L., R. Kjoller, K. Kristensen, and S. Rosendahl. 2002. Interactions between indigenous arbuscular mycorrhizal fungi and *Aphanomyces euteiches* in field-grown pea. *Mycorrhiza* 12:7-12.

___, ___, and S. Rosendahl. 1998. Effect of phosphate and the arbuscular mycorrhizal fungus *Glomus intraradices* on disease severity of root rot of peas (*Pisum sativum*) caused by *Aphanomyces euteiches*. *Mycorrhiza* 8:169-174.

___, and N. L. A. V. Smedegaard-Petersen. 1993. Influence of pea cropping history on disease severity and yield depression. *Pl. Dis.* 77:896-900.

Bowers, J. H., and J. L. Parke. 1993. Epidemiology of *Pythium* damping-off and *Aphanomyces* root rot of peas after seed treatment with bacterial agents for biological control. *Phytopathol.* 83:1466-1473.

Brownleader, M., K. D. Golden, and P. M. Dey. 1993. An inhibitor of extensin peroxidase in cultured tomato cells. *Phytochem. (Oxford)* 33:755-758.

Bucher, F., and R. Hofer. 1990. Effects of domestic wastewater on serum enzyme

- activities of brown trout *Salmo trutta*. *Comp. Biochem. Physiol.* 97:381-386.
- Bugbee, W. M., and L. G. Campbell. 1990. Combined resistance in sugar beet to *Rhizoctonia solani*, *Phoma betae* and *Botrytis cinerea*. *Pl. Dis.* 74:353-355.
- Bullis, R. A., E. J. Noga, and M. G. Levy. 1990. Immunological relationship of the fish-pathogenic oomycete *Saprolegnia parasitica* to other Oomycetes and unrelated fungi. *J. Aquat. Animal Health* 2:223-227.
- Burnett, V. F., D. R. Coventry, J. R. Hirth, and F. C. Greenhalgh. 1994. Subterranean clover decline in permanent pastures in north-eastern Victoria. *Pl. & Soil* 164:231-241.
- Burns, C. W. 1989. Parasitic regulation in a population of *Boeckella hamata* Brehm Copepoda Calanoida. *Freshwater Biol.* 21:421-426.
- Butty, A. K. N., F. T. Mhaisen, and N. M. Ali. 1989. Isolation of three water molds from two freshwater fishes and insect exuviae. *J. Environmental Sci. & Health Part A Environmental Sci. & Engineering* 24:17-22.
- Callinan, R. B., J. O. Paclibare, M. G. Bondad-Reantaso, J. C. Chin, and R. P. Gogolewski. 1995. *Aphanomyces* species associated with epizootic ulcerative syndrome (EUS) in the Philippines and red spot disease (RSD) in Australia: Preliminary comparative studies. *Dis. Aquat. Organisms* 21:233-238.
- Campbell, R. E., J. H. Lilley, Taukhid, V. Panyawachira, and S. Kanchanakhan. 2001. *In vitro* screening of novel treatments for *Aphanomyces invadans*. *Aquaculture Res.* 32:223-233.
- Carballo, M., and M. J. Munoz. 1991. Effect of sublethal concentrations of four chemicals on susceptibility of juvenile rainbow trout *Oncorhynchus mykiss* to Saprolegniosis. *Appl. & Environmental Microbiol.* 57:1813-1816.
- _____, _____, M. Cuellar, and J. V. Tarazona. 1995. Effects of waterborne copper, cyanide, ammonia, and nitrite on stress parameters and changes in susceptibility to Saprolegniosis in rainbow trout (*Oncorhynchus mykiss*). *Appl. & Environmental Microbiol.* 61:2108-2112.
- Carss, D. N., H. Kruuk, and J. W. H. Conroy. 1990. Predation on adult Atlantic salmon *Salmo salar* L. by otters *Lutra lutra* L. within the River Dee System Aberdeenshire Scotland UK. *J. Fish Biol.* 37:935-944.
- Castejon-Munoz, M., and P. J. Oyarzun. 1995. Soil receptivity to *Fusarium solani* f. sp. *pisi*

- and biological control of root rot of pea. *Eur. J. Pl. Pathol.* 101:35-49.
- Catap, E. S., and B. L. Munday. 1998. Effects of variations of water temperature and dietary lipids on the expression of experimental epizootic ulcerative syndrome (EUS) in sand whiting, *Sillago ciliata*. *Fish Pathol.* 33:327-335.
- _____, and _____. 2002. Development of a method for reproducing epizootic ulcerative syndrome using controlled doses of *Aphanomyces invadans* in species with different salinity requirements. *Aquaculture* 209:35-47.
- Cerenius, L., E. Bangyeekhun, P. Keyser, I. Söderhäll, and K. Söderhäll. 2003. Host prophenoloxidase expression in freshwater crayfish is linked to increased resistance to the crayfish plague fungus, *Aphanomyces astaci*. *Cellular Microbiol.* 5:353-357.
- _____, and K. Söderhäll. 1992. Crayfish diseases and crayfish as vectors for important diseases. *Finnish Fish. Res.* 14:125-133.
- Chan, M. K. Y., and R. C. Close. 1987. *Aphanomyces* root rot of peas 1. Evaluation of methods for assessing inoculum density of *Aphanomyces euteiches* in soil. *New Zealand J. Agric. Res.* 30:213-218.
- _____, and _____. 1987. *Aphanomyces* root rot of peas 2. Some pasture legumes and weeds as alternative hosts for *Aphanomyces euteiches*. *New Zealand J. Agric. Res.* 30:219-224.
- _____, and _____. 1987. *Aphanomyces* root rot of peas 3. Control by the use of cruciferous amendments. *New Zealand J. Agric. Res.* 30:225-234.
- Chinabut, S. 1998. Epizootic ulcerative syndrome: Information up to 1997. *Fish Pathol.* 33:321-326.
- _____, R. J. Roberts, G. R. Willoughby, and M. D. Pearson. 1995. Histopathology of snakehead, *Channa striatus* (Bloch), experimentally infected with the specific *Aphanomyces* fungus associated with epizootic ulcerative syndrome (EUS) at different temperatures. *J. Fish Dis.* 18:41-47.
- Cho, E. K., W. G. Kim, and J. S. Kim. 1987. A brittle root rot in chinese cabbage caused by *Aphanomyces raphani* Kendrick. *Res. Rep. Rural Develop. Administration (Suweon)* 29:80-84.
- Cohen, M. M., Jr. 2003. One froggy evening. *Amer. J. Med. Genet.* 118A:96-98.

- Cote, I. M., and M. R. Gross. 1993. Reduced disease in offspring: A benefit of coloniality in sunfish. *Behavioral Ecol. Socialbiol.* 33:269-274.
- Cross, M. L., and L. G. Willoughby. 1989. Enhanced vulnerability of rainbow trout *Salmo gairdneri* to *Saprolegnia* infection following treatment of the fish with an androgen. *Mycol. Res.* 93:379-383.
- Czeczuga, B., and E. Muszynska. 1997. Aquatic fungi growing on the eggs of Polish cobitid fish species. *Acta Hydrobiol.* 39:67-75.
- _____, and _____. 1998. Aquatic fungi growing on coregonid fish eggs. *Acta Hydrobiol.* 40:239-264.
- _____, _____, and A. Krzeminska. 1998. Aquatic fungi growing on the spawn of certain amphibians. *Amphibia Reptilia* 19:239-251.
- Dandurand, L. M., R. D. Mosher, and G. R. Knudsen. 2000. Combined effects of *Brassica napus* seed meal and *Trichoderma harzianum* on two soilborne plant pathogens. *Canad. J. Microbiol.* 46:1051-1057.
- Dassi, B., E. Dumas-Gaudot, A. Asselin, C. Richard, and S. Gianinazzi. 1996. Chitinase and beta-1,3-glucanase isoforms expressed in pea roots inoculated with arbuscular mycorrhizal or pathogenic fungi. *Eur. J. Pl. Pathol.* 102:105-108.
- Daub, M. E. 1987. Resistance of fungi to the photosensitizing toxin cercosporin. *Phytopathol.* 77:1515-1520.
- Davis, D. W., V. A. Fritz, F. L. Pflieger, J. A. Percich, and D. K. Malvick. 1995. MN 144, MN 313, and MN 314: Garden pea lines resistant to root rot caused by *Aphanomyces euteiches* Drechs. *Hortscience* 30:639-640.
- Deacon, J. W. 1996. Ecological implications of recognition events in the pre-infection stages of root pathogens. *New Phytologist* 133:135-145.
- Delwiche, P. A., C. R. Grau, E. B. Holub, and J. B. Perry. 1987. Characterization of *Aphanomyces euteiches* isolates recovered from alfalfa in Wisconsin USA. *Pl. Dis.* 71:155-161.
- Demers, A., and J. D. Reynolds. 2002. A survey of the white-clawed crayfish, *Austropotamobius pallipes* (Lereboullet), and of water quality in two catchments of eastern Ireland. *Bull. Francais Peche & Pisciculture* 367:729-740.
- Dewald, L., and M. A. Wilzbach. 1992. Interactions between native brook trout and

- hatchery brown trout effects on habitat use feeding and growth. *Trans. Amer. Fish. Soc.* 121:287-296.
- Dieguez-Uribeondo, J., and L. Cerenius. 1998. The inhibition of extracellular proteinases from *Aphanomyces* spp. by three different proteinase inhibitors from crayfish blood. *Mycol. Res.* 102:820-824.
- _____, _____, and K Söderhäll. 1994. *Saprolegnia parasitica* and its virulence on three different species of freshwater crayfish. *Aquaculture* 120:219-228.
- _____, A. Rueda, E. Castien, and J. C. Bascones. 1997. A plan of restoration in Navarra for the native freshwater crayfish species of Spain, *Austropotamobius pallipes*. *Bull. Francais Peche & Pisciculture* 347:625-637.
- _____, and K. Söderhäll. 1993. *Procambarus clarkii* Girard as a vector for the crayfish plague fungus, *Aphanomyces astaci* Schikora. *Aquaculture & Fish. Management* 24:761-765.
- _____, C. Temino, and J. L. Muzquiz. 1997. The crayfish plague fungus (*Aphanomyces astaci*) in Spain. *Bull. Francais Peche & Pisciculture* 347:753-763.
- _____, T. S. Huang, L. Cerenius, and K. Söderhäll. 1995. Physiological adaptation of an *Aphanomyces astaci* strain isolated from the freshwater crayfish *Procambarus clarkii*. *Mycol. Res.* 99:574-578.
- Dykstra, M. J., K. M. Astrofsky, M. D. Schrenzel, J. G. Fox, R. A. Bullis, S. Farrington, L. Sigler, M. G. Rinaldi, and M. R. McGinnis. 2001. High mortality in a large-scale zebrafish colony (*Brachydanio rerio* Hamilton and Buchanan, 1822) associated with *Lecythophora mutabilis* (van Beyma) W. Gams and McGinnis. *Comp. Med. (Memphis)* 51:361-368.
- _____, and A. S. Kane. 2000. *Pfiesteria piscicida* and ulcerative mycosis of Atlantic menhaden: Current status of understanding. *J. Aquat. Animal Health* 12:18-25.
- Edgell, P., D. Lawseth, W. E. McLean, and E. W. Britton. 1993. The use of salt solutions to control fungus (*Saprolegnia*) infestations on salmon eggs. *Progr. Fish Cult.* 55:48-52.
- Edgerton, B. F. 2002. Hazard analysis of exotic pathogens of potential threat to European freshwater crayfish. *Bull. Francais Peche & Pisciculture* 367:813-820.
- Efiuvwevwere, B. J. O., and M. O. Ajiboye. 1996. Control of microbiological quality and shelf-life of catfish (*Clarias gariepinus*) by chemical preservatives and smoking. *J.*

- Appl. Bacteriol. 80:465-470.
- El-Hissy, F. T., A. R. M. Khallil, and M. A. El-Nagdy. 1989. Aquatic fungi associated with seven species of Nile fishes Egypt. Zentralbl. Mikrobiol. 144:305-314.
- El-Sharouny, H. M., and R. A. M. Badran. 1995. Experimental transmission and pathogenicity of some zoosporic fungi to Tilapia fish. Mycopathol. 132:95-103.
- Engqvist, L. G. 2001. Effects of infection of common root rot on protein content, cooking quality and other characters in pea varieties. Nahrung 45:374-376.
- _____, and P. Ahvenniemi. 1997. Interactions between common root rot (*Aphanomyces euteiches*) and peas (*Pisum sativum*) in Finland. Acta Agric. Scand. Section B. Soil & Plant Science 47:242-247.
- Erkamo, E., J. Kirjavainen, and J. Tulonen. 1992. Catching as a management method for crayfish. Finnish Fish. Res. 14:77-83.
- Fox, R. T. V. 1995. Fungal foes in your garden: 27. Damping-off of seedlings. Mycologist 9:40.
- Fraser, G. C., R. B. Callinan, and L. M. Cader. 1992. *Aphanomyces* spp. associated with Red Spot Disease an ulcerative disease of estuarine fish from eastern Australia. J. Fish Dis. 15:173-181.
- Fregeneda-Grandes, J. M., M. Fernandez-Diez, and J. M. Aller-Gancedo. 2000. Ultrastructural analysis of *Saprolegnia* secondary zoospore cyst ornamentation from infected wild brown trout, *Salmo trutta* L., and river water indicates two distinct morphotypes amongst long-spined isolates. J. Fish Dis. 23:147-160.
- _____, _____, and _____. 2001. Experimental pathogenicity in rainbow trout, *Oncorhynchus mykiss* (Walbaum), of two distinct morphotypes of long-spined *Saprolegnia* isolates obtained from wild brown trout, *Salmo trutta* L., and river water. J. Fish Dis. 24:351-359.
- Fritz, V. A., R. R. Allmaras, F. L. Pflieger, and D. W. Davis. 1995. Oat residue and soil compaction influences on common root rot (*Aphanomyces euteiches*) of peas in a fine-textured soil. Pl. & Soil 171:235-244.
- Gaikowski, M. P., J. J. Rach, M. Drobish, J. Hamilton, T. Harder, L. A. Lee, C. Moen, and A. Moore. 2003. Efficacy of hydrogen peroxide in controlling mortality associated with saprolegniasis on walleye, white sucker, and paddlefish eggs. North Amer. J. Aquaculture 65:349-355.

- Garman, G. C. 1992. Fate and potential significance of postspawning anadromous fish carcasses in an Atlantic coastal river. *Trans. Amer. Fish. Soc.* 121:390-394.
- Graham, J. H. 2001. What do root pathogens see in mycorrhizas? *New Phytologist* 149:357-359.
- Grath, T., and I. Hakansson. 1994. A case study on soil compaction and *Aphanomyces* root rot as causes of uneven pea growth. *Swedish J. Agric. Res.* 24:165-170.
- Grau, C. R., A. M. Muehlchen, J. E. Tofte, and R. R. Smith. 1991. Variability in virulence of *Aphanomyces euteiches*. *Pl. Dis.* 75:1153-1156.
- Greenhalgh, F. C., P. R. Merriman, and P. J. Keane. 1988. Relative importance of root rots of subterranean clover caused by *Aphanomyces euteiches* and *Phytophthora clandestina*. *Pl. Pathol. (Oxford)* 37:344-350.
- Gretenkort, M. A., and J. P. F. G. Helsper. 1993. Disease assessment of pea lines with resistance to foot rot pathogens: Protocols for *in vitro* selection. *Pl. Pathol. (Oxford)* 42:676-685.
- Grondona, I., R. Hermosa, M. Tejada, M. D. Gomis, P. F. Mateos, P. D. Bridge, E. Monte, and I. Garcia-Acha. 1997. Physiological and biochemical characterization of *Trichoderma harzianum*, a biological control agent against soilborne fungal plant pathogens. *Appl. & Environmental Microbiol.* 63:3189-3198.
- Grunwald, N. J., V. A. Coffman, and J. M. Kraft. 2003. Sources of partial resistance to *Fusarium* root rot in the *Pisum* core collection. *Pl. Dis.* 87:1197-1200.
- Gydemo, R. 1996. Signal crayfish, *Pacifastacus leniusculus*, as a vector for *Psorospermium haeckeli* to noble crayfish, *Astacus astacus*. *Aquaculture* 148:1-9.
- Hanjavanit, C., H. Suda, and K. Hatai. 1997. Mycotic granulomatosis found in two species of ornamental fishes imported from Singapore. *Mycosci.* 38:433-436.
- _____, S. Wada, and K. Hatai. 1995. Histopathological comparison of internal organs of goldfish (*Carassius auratus*) and carp (*Cyprinus carpio*) artificially infected with *Aphanomyces piscicida*. *Bull. Nippon Vet. & Animal Sci. University* 44:41-46.
- Hanson, L. H. 1990. Sterilizing effects of cobalt-60 and cesium-137 radiation on male sea lampreys. *North Amer. J. Fish. Management* 10:352-361.
- Harrier, L. A., and C. A. Watson. 2004. The potential role of arbuscular mycorrhizal

- (AM) fungi in the bioprotection of plants against soil-borne pathogens in organic and/or other sustainable farming systems. *Pest Management Sci.* 60:149-157.
- Harveson, R. M. 2000. First report of *Aphanomyces* root rot of sugar beet in Nebraska and Wyoming. *Pl. Dis.* 84:596.
- _____, and C. M. Rush. 1993. An environmentally controlled experiment to monitor the effect of *Aphanomyces* root rot and rhizomania on sugar beet. *Phytopathol.* 83:1220-1223.
- _____, and _____. 1994. Evaluation of fumigation and rhizomania-tolerant cultivars for control of a root disease complex of sugar beets. *Pl. Dis.* 78:1197-1202.
- _____, and _____. 2002. The influence of irrigation frequency and cultivar blends on the severity of multiple root diseases in sugar beets. *Pl. Dis.* 86:901-908.
- Hatai, K., and G. Hoshiai. 1992. Mass mortality in cultured coho salmon (*Oncorhynchus kisutch*) due to *Saprolegnia parasitica* Coker. *J. Wildlife Dis.* 28:532-536.
- _____, K. Nakamura, S. A. Rha, K. Yuasa, and S. Wada. 1994. *Aphanomyces* infection in dwarf gourami (*Colisa lalia*). *Fish Pathol.* 29:95-99.
- Hawke, J. P., A. M. Grooters, and A. C. Camus. 2003. Ulcerative mycosis caused by *Aphanomyces invadans* in channel catfish, black bullhead, and bluegill from southeastern Louisiana. *J. Aquat. Animal Health* 15:120-127.
- Hecht, T., and F. Endemann. 1998. The impact of parasites, infections and diseases on the development of aquaculture in sub-Saharan Africa. *J. Appl. Ichthyology* 14:213-221.
- Heijbroek, W., and A. W. M. Huijbregts. 1995. Fungicides and insecticides applied to pelleted sugar-beet seeds: II. Control of pathogenic fungi in soil. *Crop Protect.* 14:363-366.
- Heungens, K., and J. L. Parke. 2001. Postinfection biological control of oomycete pathogens of pea by *Burkholderia cepacia* AMMDR1. *Phytopathol.* 91:383-391.
- Holloway, S. A. 2003. The Oomycetes: Fungi with teeth and flippers? *J. Veterinary Internal Med.* 17:607-608.
- Holub, E. B., and C. R. Grau. 1990. Ability of *Aphanomyces euteiches* to cause disease of seedling alfalfa compared with *Phytophthora megasperma* f. sp. *medicaginis*. *Phytopathol.* 80:331-335.

- ____, and _____. 1990. Productivity and survival of alfalfa ramets in soil naturally infested with *Aphanomyces euteiches* and *Phytophthora megasperma*. *Canad. J. Pl. Pathol.* 12:83-91.
- ____, and _____. 1990. Specificity of resistance to *Aphanomyces euteiches* in seedling alfalfa. *Pl. Dis.* 74:164-168.
- Hoper, H., and C. Alabouvette. 1996. Importance of physical and chemical soil properties in the suppressiveness of soils to plant diseases. *Eur. J. Soil Biol.* 32:41-58.
- Horio, T., Y. Kawabata, T. Takayama, S. Tahara, J. Kawabata, Y. Fukushi, H. Nishimura, and J. Mizutani. 1992. A potent attractant of zoospores of *Aphanomyces cochlioides* isolated from its host *Spinacia oleracea*. *Experientia (Basel)* 48:410-414.
- Howe, G. E., J. J. Rach, and J. J. Olson. 1998. Method for inducing saprolegniasis in channel catfish. *J. Aquat. Animal Health* 10:62-68.
- ____, and G. R. Stehly. 1998. Experimental infection of rainbow trout with *Saprolegnia parasitica*. *J. Aquat. Animal Health* 10:397-404.
- Huang, T. S., L. Cerenius, and K. Söderhäll. 1994. Analysis of genetic diversity in the crayfish plague fungus, *Aphanomyces astaci*, by random amplification of polymorphic DNA. *Aquaculture* 126:1-.
- Hussein, M. M. A., M. A. El-Feki, K. Hatai, and A. Yamamoto. 2002. Inhibitory effects of thymoquinone from *Nigella sativa* on pathogenic *Saprolegnia* in fish. *Biocontrol Sci.* 7:31-35.
- ____, and K. Hatai. 2001. *In vitro* inhibition of *Saprolegnia* by bacteria isolated from lesions of salmonids with saprolegniasis. *Fish Pathol.* 36:73-78.
- ____, and _____. 2002. Pathogenicity of *Saprolegnia* species associated with outbreaks of salmonid saprolegniosis in Japan. *Fish. Sci. (Tokyo)* 68:1067-1072.
- ____, _____, and T. Nomura. 2001. Saprolegniosis in salmonids and their eggs in Japan. *J. Wildlife Dis.* 37:204-207.
- ____, S. Wada, K. Hatai, and A. Yamamoto. 2000. Antimycotic activity of eugenol against selected water molds. *J. Aquat. Animal Health* 12:224-229.
- Islam, M. T., T. Ito, M. Sakasai, and S. Tahara. 2002. Zoosporicidal activity of polyflavonoid tannin identified in *Lannea coromandelica* stem bark against

- phytopathogenic oomycete *Aphanomyces cochlioides*. J. Agric. Food Chem. 50:6697-6703.
- ____, _____, and S. Tahara. 2002. Microscopic studies on attachment and differentiation of zoospores of the phytopathogenic fungus *Aphanomyces cochlioides*. J. Gen. Pl. Pathol. 68:111-117.
- ____, _____, and _____. 2003. Host-specific plant signal and G-protein activator, mastoparan, trigger differentiation of zoospores of the phytopathogenic oomycete *Aphanomyces cochlioides*. Pl. & Soil 255:131-142.
- ____, and S. Tahara. 2001. Repellent activity of estrogenic compounds toward zoospores of the phytopathogenic fungus *Aphanomyces cochlioides*. Zeitschr. Nat. Sect. C, J. Biosci. 56:253-261.
- Jones, J. B., and C. S. Lawrence. 2001. Diseases of yabbies (*Cherax albidus*) in Western Australia. Aquaculture 194:221-232.
- Jones, K. A., S. B. Brown, and T. J. Hara. 1987. Behavioral and biochemical studies of onset and recovery from acid stress in arctic char *Salvelinus alpinus*. Canad. J. Fish. & Aquat. Sci. 44:373-381.
- Kemp, A. 1994. Pathology in eggs, embryos, and hatchlings of the Australian lungfish, *Neoceratodus forsteri* (Osteichthyes: Dipnoi). Copeia 1994:935-943.
- Khan, M. H., and J. H. Lilley. 2002. Risk factors and socio-economic impacts associated with epizootic ulcerative syndrome (EUS) in Bangladesh. FAO Fish. Technical Paper 406:27-39.
- Khulbe, R. D. 1989. Infection ability of water molds in some temperate fishes of Himalaya India. Mycoses 32:84-86.
- ____, G. S. Bisht, and C. Joshi. 1994. Epizootic infection due to *Achlya debaryana* in a catfish. Mycoses 37:61-63.
- ____, C. Joshi, and G. S. Bisht. 1995. Fungal diseases of fish in Nanak Sagar, Naini Tal, India. Mycopathol. 130:71-74.
- Kiesecker, J. M., and A. R. Blaustein. 1995. Synergism between UV-B radiation and a pathogen magnifies amphibian embryo mortality in nature. Proc. Nat. Acad. Sci. U.S.A. 92:11049-11052.
- ____, and _____. 1997. Influences of egg laying behavior on pathogenic infection of

- amphibian eggs. *Conservation Biol.* 11:214-220.
- ___, and ___. 1999. Pathogen reverses competition between larval amphibians. *Ecol. (Washington DC)* 80:2442-2448.
- ___, ___, and L. K. Belden. 2001. Complex causes of amphibian population declines. *Nat. (London)* 410:681-684.
- ___, ___, and C. L. Miller. 2001. Transfer of a pathogen from fish to amphibians. *Conservation Biol.* 15:1064-1070.
- Kikuchi, H., T. Horio, J. Kawabata, N. Koyama, Y. Fukushi, J. Mizutani, and S. Tahara. 1995. Activity of host-derived attractants and their related compounds toward the zoospores of phytopathogenic *Aphanomyces cochlioides*. *Bioscience Biotech. Biochem.* 59:2033-2035.
- King, E. B., and J. L. Parke. 1993. Biocontrol of *Aphanomyces* root rot and *Pythium* damping-off by *Pseudomonas cepacia* AMMD on four pea cultivars. *Pl. Dis.* 77:1185-1188.
- ___, and ___. 1996. Population density of the biocontrol agent *Burkholderia cepacia* AMMDR1 on the four pea cultivars. *Soil Biol. Biochem.* 28:307-312.
- Kirjavainen, J., and K. Westman. 1999. Natural history and development of the introduced signal crayfish, *Pacifastacus leniusculus*, in a small, isolated Finnish lake, from 1968 to 1993. *Aquat. Living Resources* 12:387-401.
- Kiryu, Y., J. D. Shields, W. K. Vogelbein, H. Kator, and V. S. Blazer. 2003. Infectivity and pathogenicity of the oomycete *Aphanomyces invadans* in Atlantic menhaden *Brevoortia tyrannus*. *Dis. Aquat. Organisms* 54:135-146.
- ___, ___, ___, D. E. Zwerner, H. Kator, and V. S. Blazer. 2002. Induction of skin ulcers in Atlantic menhaden by injection and aqueous exposure to the zoospores of *Aphanomyces invadans*. *J. Aquat. Animal Health* 14:11-24.
- Kitancharoen, N., and K. Hatai. 1996. Experimental infection of *Saprolegnia* spp. in rainbow trout eggs. *Fish Pathol.* 31:49-50.
- ___, ___, and A. Yamamoto. 1997. Aquatic fungi developing on eggs of salmonids. *J. Aquat. Animal Health* 9:314-316.
- Kitancharoen, N., A. Yamamoto, and K. Hatai. 1997. Fungicidal effects of hydrogen peroxide on fungal infection of rainbow trout eggs. *Mycosci.* 38:375-378.

- Kjoller, R., and S. Rosendahl. 1997. Polyacrylamide gel electrophoresis (PAGE) and densitometric measurement of enzyme activity of the pea root pathogen *Aphanomyces euteiches* in pea roots. *J. Phytopath. (Berlin)* 145:253-256.
- Knotek, W. L., and D. J. Orth. 1998. Survival for specific life intervals of smallmouth bass, *Micropterus dolomieu*, during parental care. *Environmental Biol. of Fishes* 51:285-296.
- Kobayashi, M., and K. Söderhäll. 1990. Comparison of concanavalin a reactive determinant on Isolated hemocytes of parasite-infected and non-Infected freshwater crayfish. *Dis. Aquat. Organisms* 9:141-148.
- Kraft, J. M., and W. L. Boge. 1994. Development of an antiserum to quantify *Aphanomyces euteiches* in resistant pea lines. *Pl. Dis.* 78:179-183.
- _____, and _____. 1996. Identification of characteristics associated with resistance to root rot caused by *Aphanomyces euteiches* in pea. *Pl. Dis.* 80:1383-1386.
- _____, M. P. Haware, R. M. Jimenez-Diaz, B. Bayaa, and M. Harrabi. 1993. Screening technique and sources of resistance to root rots and wilts in cool season food legumes. *Euphytica* 73:27-39.
- _____, J. Marcinkowska, and F. J. Muehlbauer. 1990. Detection of *Aphanomyces euteiches* in field soil from Northern Idaho USA by a wet-sieving-baiting technique. *Pl. Dis.* 74:716-718.
- Krajinski, F., F. Martin-Laurent, S. Gianinazzi, V. Gianinazzi-Pearson, and P. Franken. 1998. Cloning and analysis of psam2, a gene from *Pisum sativum* L. regulated in symbiotic carbuscular mycorrhiza and pathogenic root-fungus interactions. *Physiol. Molec. Pl. Pathol.* 52:297-307.
- Krishna, L., V. K. Gupta, R. C. Katoch, and D. Singh. 1990. Saprolegniasis in Indian major carps: an investigation. *Indian Veterinary J.* 67:554-555.
- Kudo, S. 1992. Enzymatic basis for protection of fish embryos by the fertilization envelope. *Experientia (Basel)* 48:277-281.
- _____, and C. Teshima. 1991. Enzyme activities and antifungal action of fertilization envelope extract from fish eggs. *J. Exp. Zoology* 259:392-398.
- Kugler, J. L., S. L. Nygaard, D. E. Huset, and M. A. Peterson. 1995. Registration of 'WL 323' Alfalfa. *Crop Sci.* 35:1501.

- Kumar, R., S. Giri, and Nizamuddin. 1993. Synthesis and fungicidal activity of 1-(substituted phenyl)-3-substituted-4-styryl-2-azetidinones as potential. *J. Pesticide Sci.* 18:9-13.
- Kurata, O., and K. Hatai. 2002. Activation of carp leukocytes by a galactose-binding protein from *Aphanomyces piscicida*. *Developm. & Comp. Immunology* 26:461-469.
- _____, H. Kanai, and K. Hatai. 2000. Fungicidal activity of carp serum against *Aphanomyces piscicida*. *Fish Pathol.* 35:49-50.
- _____, _____, and K. Hatai. 2000. Hemagglutinating and hemolytic capacities of *Aphanomyces piscicida*. *Fish Pathol.* 35:29-33.
- _____, K. Sanpei, K. Hikiji, and K. Hatai. 2002. A galactose-binding protein revealed as a hemagglutinin in *Aphanomyces piscicida*. *Fish Pathol.* 37:1-6.
- Larsen, J., and L. Bodker. 2001. Interactions between pea root-inhabiting fungi examined using signature fatty acids. *New Phytologist* 149:487-493.
- _____, L. Lange, and L. W. Olson. 1992. Mastigomycotina developmental sensitivity to alpha beta unsaturated carbonyl compounds. *J. Phytopath. (Berlin)* 134:336-342.
- Larsen, R. C., C. R. Hollingsworth, G. J. Vandemark, M. A. Gritsenko, and F. A. Gray. 2002. A rapid method using PCR-based SCAR markers for the detection and identification of *Phoma sclerotoides*: The cause of brown root rot disease of alfalfa. *Pl. Dis.* 86:928-932.
- Larsson, M. 1994. Pathogenicity, morphology and isozyme variability among isolates of *Aphanomyces spp.* from weeds and various crop plants. *Mycol. Res.* 98:231-240.
- _____, and B. Gerhardson. 1992. Disease progression and yield losses from root diseases caused by soilborne pathogens of spinach. *Phytopathol.* 82:403-406.
- _____, and J. Olofsson. 1994. Prevalence and pathogenicity of spinach root pathogens of the genera *Aphanomyces*, *Phytophthora*, *Fusarium*, *Cylindrocarpon*, and *Rhizoctonia* in Sweden. *Pl. Pathol. (Oxford)* 43:251-260.
- Lategan, M. J., and L. F. Gibson. 2003. Antagonistic activity of *Aeromonas media* strain A199 against *Saprolegnia sp.*, an opportunistic pathogen of the eel, *Anguilla australis* Richardson. *J. Fish Dis.* 26:147-153.
- Lawhavit, O. A., K. Chukanhom, and K. Hatai. 2002. Effect of *Tetrahymena* on the

- occurrence of achlyosis in the guppy. *Mycosci.* 43:27-31.
- Leano, E. M., L. L. P. Vrijmoed, and E. B. G. Jones. 1999. *Saprolegnia diclina* isolated from pond cultured red drum (*Sciaenops ocellatus*) in Hong Kong. *Mycol. Res.* 103:701-706.
- Lefcort, H., K. A. Hancock, K. M. Maur, and D. C. Rostal. 1997. The effects of used motor oil, silt, and the water mold *Saprolegnia parasitica* on the growth and survival of mole salamanders (Genus *Ambystoma*). *Arch. Environmental Contamination & Toxicology* 32:383-388.
- Levenfors, J. P., M. Wikstrom, L. Persson, and B. Gerhardson. 2003. Pathogenicity of *Aphanomyces spp.* from different leguminous crops in Sweden. *Eur. J. Pl. Pathol.* 109:535-543.
- Lewis, M. E., and E. T. Gritton. 1992. Use of one cycle of recurrent selection per year for increasing resistance to *Aphanomyces* root rot in peas. *J. Amer. Soc. Hort. Sci.* 117:638-642.
- Li, M. H., D. J. Wise, and E. H. Robinson. 1996. Chemical prevention and treatment of winter saprolegniosis ("Winter Kill") in channel catfish *Ictalurus punctatus*. *J. World Aquaculture Soc.* 27:1-6.
- Lightner, D. V., R. M. Redman, D. W. Moore, and M. A. Park. 1993. Development and application of a simple and rapid diagnostic method to studies on hepatopancreatic parvovirus of penaeid shrimp. *Aquaculture* 116:15-23.
- Lilley, J. H., G. W. Beakes, and C. S. Hetherington. 2001. Characterization of *Aphanomyces invadans* isolates using pyrolysis mass spectrometry (PyMS). *Mycoses* 44:383-389.
- ___, L. Cerenius, and K. Söderhäll. 1997. RAPD evidence for the origin of crayfish plague outbreaks in Britain. *Aquaculture* 157:181-185.
- ___, and R. J. Roberts. 1997. Pathogenicity and culture studies comparing the *Aphanomyces* involved in epizootic ulcerative syndrome (EUS) with other similar fungi. *J. Fish Dis.* 20:135-144.
- ___, K. D. Thompson, and A. Adams. 1997. Characterization of *Aphanomyces invadans* by electrophoretic and Western blot analysis. *Dis. Aquat. Organisms* 30:187-197.
- Lio-Po, G. D., L. J. Albright, G. S. Traxler, and E. M. Leano. 2003. Horizontal transmission of epizootic ulcerative syndrome (EUS)-associated virus in the

- snakehead *Ophicephalus triatus* under simulated natural conditions. *Dis. Aquat. Organisms* 57:213-220.
- Lopez-Doriga, M. V., and J. L. Martinez. 1998. Ultrastructure of fish cells involved in cellular defences against *Saprolegnia* infections: Evidence of non-leucocytic nature. *Dis. Aquat. Organisms* 32:111-117.
- Ma, W. G., M. Mizutani, K. E. Malterud, S. L. Lu, B. Ducrey, and S. Tahara. 1999. Saponins from the roots of *Panax notoginseng*. *Phytochem. (Oxford)* 52:1133-1139.
- Malvick, D. 2002. *Aphanomyces euteiches* race 2 in Central Illinois alfalfa fields. *Pl. Dis.* 86:560.
- _____, and C. R. Grau. 2001. Characteristics and frequency of *Aphanomyces euteiches* races 1 and 2 associated with alfalfa in the midwestern United States. *Pl. Dis.* 85:740-744.
- _____, _____, and J. A. Percich. 1998. Characterization of *Aphanomyces euteiches* strains based on pathogenicity tests and random amplified polymorphic DNA analyses. *Mycol. Res.* 102:465-475.
- _____, and J. A. Percich. 1998. Genotypic and pathogenic diversity among pea-infecting strains of *Aphanomyces euteiches* from the Central and Western United States. *Phytopathol.* 88:915-921.
- _____, and _____. 1998. Variation in pathogenicity and genotype among single-zoospore strains of *Aphanomyces euteiches*. *Phytopathol.* 88:52-57.
- _____, and _____. 1999. Identification of *Pisum sativum* germ plasm with resistance to root rot caused by multiple strains of *Aphanomyces euteiches*. *Pl. Dis.* 83:51-54.
- _____, _____, F. L. Pflieger, J. Givens, and J. L. Williams. 1994. Evaluation of methods for estimating inoculum potential of *Aphanomyces euteiches* in soil. *Pl. Dis.* 78:361-365.
- Manavathu, E. K., K. Suryanarayana, S. E. Hasnain, and W. C. Leung. 1988. Presence of DNA sequence homologous to Ras gene in the aquatic fungus *Achlya ambisexualis* possible role in sporangiogenesis. *Curr. Microbiol.* 17:183-188.
- Marking, L. L., J. J. Rach, and T. M. Schreier. 1994. Evaluation of antifungal agents for fish culture. *Progr. Fish Cult.* 56:225-231.
- Martin, H. L. 2003. Management of soilborne diseases of beetroot in Australia: A review. *Austral. J. Exp. Agric.* 43:1281-1292.

- Martin, W. W. 1991. Egg parasitism by zoosporic fungi in a littoral chironomid community. *J. North Amer. Benthological Soc.* 10:455-462.
- Matthews, M., and J. D. Reynolds. 1990. Laboratory investigations of the pathogenicity of *Aphanomyces astaci* for Irish freshwater crayfish. *Hydrobiologia* 203:121-126.
- _____, and _____. 1992. Ecological impact of crayfish plague in Ireland. *Hydrobiologia* 234:1-6.
- McQuilken, M. P., H. G. Powell, S. P. Budge, and J. M. Whipps. 1998. Effect of storage on the survival and biocontrol activity of *Pythium oligandrum* in pelleted sugar beet seed. *Biocontrol Sci. Technol.* 8:237-241.
- _____, J. M. Whipps, and R. C. Cooke. 1990. Control of damping-off in cress and sugar beet by commercial seed-coating with *Pythium oligandrum*. *Pl. Pathol. (Oxford)* 39:452-462.
- Meinelt, T., R. Playle, K. Schreckenbach, and M. Pietrock. 2001. The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium. *Aquaculture Res.* 32:405-410.
- Meshram, S. U., S. Joshi, R. Kamdi, and S. Peshwe. 1998. *In vitro* use of microbial biopesticides with fish pathogens prevailing in aquaculture food industry. *J. Food Sci. Technol.* 35:177-178.
- Miao, S., and A. Nauwerck. 1999. Fungal infection of *Eudiaptomus gracilis* (Copepoda, Crustacea) in Lake Mondsee. *Limnologia* 29:168-173.
- Miles, D. J. C., S. Kanchanakhan, J. H. Lilley, K. D. Thompson, S. Chinabut, and A. Adams. 2001. Effect of macrophages and serum of fish susceptible or resistant to epizootic ulcerative syndrome (EUS) on the EUS pathogen, *Aphanomyces invadans*. *Fish & Shellfish Immunology* 11:569-584.
- _____, J. Polchana, J. H. Lilley, S. Kanchanakhan, K. D. Thompson, and A. Adams. 2001. Immunostimulation of striped snakehead *Channa striata* against epizootic ulcerative syndrome. *Aquaculture* 195:1-15.
- _____, K. D. Thompson, J. H. Lilley, and A. Adams. 2003. Immunofluorescence of the epizootic ulcerative syndrome pathogen, *Aphanomyces invadans*, using a monoclonal antibody. *Dis. Aquat. Organisms* 55:77-84.
- Min, H. K., K. Hatai, and S. Bai. 1994. Some inhibitory effects of chitosan on fish-pathogenic oomycete, *Saprolegnia parasitica*. *Fish Pathol.* 29:73-77.

- Mitani, S., S. Araki, T. Yamaguchi, Y. Takii, T. Ohshima, and N. Matsuo. 2001. Antifungal activity of the novel fungicide cyazofamid against *Phytophthora infestans* and other plant pathogenic fungi *in vitro*. *Pesticide Biochem. Physiol.* 70:92-99.
- Mizutani, M., Y. Hashidoko, and S. Tahara. 1998. Factors responsible for inhibiting the motility of zoospores of the phytopathogenic fungus *Aphanomyces cochlioides* isolated from the non-host plant *Portulaca oleracea*. *FEBS Letters* 438:236-240.
- Momot, W. T. 1992. Stocking and exploitation as management methods for European crayfish. *Finnish Fish. Res.* 14:145-148.
- Mondal, S. K., and A. B. De. 2002. A fatal oomycotic disease of the fresh water fish *Aplocheilus panchax* in India caused by *Aphanomyces laevis*. *Mycopathol.* 154:21-24.
- Muehlbauer, F. J., and W. J. Kaiser. 1993. Using host plant resistance to manage biotic stresses in cool season food legumes. *Euphytica* 73:1-10.
- Muehlchen, A. M., R. E. Rand, and J. L. Parke. 1990. Evaluation of crucifer green manures for controlling *Aphanomyces* root rot of peas. *Pl. Dis.* 74:651-654.
- Munkvold, G. P., and W. M. Carlton. 1995. Prevalence and distribution of *Aphanomyces euteiches* and *Phytophthora medicaginis* in Iowa alfalfa fields. *Pl. Dis.* 79:1251-1253.
- _____, W. M. Carlton, E. C. Brummer, J. R. Meyer, D. J. Undersander, and C. R. Grau. 2001. Virulence of *Aphanomyces euteiches* isolates from Iowa and Wisconsin and benefits of resistance to *A. euteiches* in alfalfa cultivars. *Pl. Dis.* 85:328-333.
- Nielsen, P., and J. Sorensen. 1997. Multi-target and medium-independent fungal antagonism by hydrolytic enzymes in *Paenibacillus polymyxa* and *Bacillus pumilus* strains from barley rhizosphere. *FEMS Microbiol. Ecol.* 22:183-192.
- Nyamsuren, O., F. Colditz, S. Rosendahl, M. B. Tamasloukht, T. Bekel, F. Meyer, H. Kuester, P. Franken, and F. Krajinski. 2003. Transcriptional profiling of *Medicago truncatula* roots after infection with *Aphanomyces euteiches* (Oomycota) identifies novel genes upregulated during this pathogenic interaction. *Physiol. Molec. Pl. Pathol.* 63:17-26.
- Nylund, V., and K. Westman. 2000. The prevalence of crayfish plague (*Aphanomyces astaci*) in two signal crayfish (*Pacifastacus leniusculus*) populations in Finland. *J. Crustacean Biol.* 20:777-785.

- O'Brien, R. G., P. J. O'Hare, and R. J. Glass. 1991. Cultural practices in the control of bean root rot. *Austral. J. Exp. Agric.* 31:551-556.
- Ogbonna, C. I. C., and R. O. Alabi. 1991. Studies on species of fungi associated with mycotic infections of fish in a Nigerian freshwater fish pond. *Hydrobiologia* 220:131-136.
- Ohlsson, E. 1990. Susceptibility of ryegrass and legume intercrops to some fungal diseases. *Vaxtskyddsnotiser* 54:86-97.
- Oidtman, B., S. Bausewein, L. Holzle, R. Hoffmann, and M. Wittenbrink. 2002. Identification of the crayfish plague fungus *Aphanomyces astaci* by polymerase chain reaction and restriction enzyme analysis. *Veterinary Microbiol.* 85:183-194.
- _____, L. Cerenius, I. Schmid, R. Hoffmann, and K. Söderhäll. 1999. Crayfish plague epizootics in Germany -- classification of two German isolates of the crayfish plague fungus *Aphanomyces astaci* by random amplification of polymorphic DNA. *Dis. Aquat. Organisms* 35:235-238.
- _____, E. Heitz, D. Rogers, and R. W. Hoffmann. 2002. Transmission of crayfish plague. *Dis. Aquat. Organisms* 52:159-167.
- Olayemi, A. B., O. Adedayo, and A. O. Ojo. 1991. Microbial flora of six freshwater fish species from Asa River Ilorin Nigeria. *Rev. Biol. Tropical* 39:165-167.
- Organisation Européenne et Méditerranéenne pour la Protection des Plantes. 1999. Seed treatments against seedling diseases (trials under controlled conditions). *Bul. OEPP* 29:291-296.
- Oyarzun, P., M. Gerlagh, and A. E. Hoogland. 1993. Pathogenic fungi involved in root rot of peas in the Netherlands and their physiological specialization. *Netherlands J. Pl. Pathol.* 99:23-33.
- _____, _____, and _____. 1993. Relation between cropping frequency of peas and other legumes and foot and root rot in peas. *Netherlands J. Pl. Pathol.* 99:35-44.
- _____, _____, _____, and I. Vos. 1990. Seed treatment of peas with Fosetyl-Al against *Aphanomyces euteiches*. *Netherlands J. Pl. Pathol.* 96:301-311.
- _____, and J. Van Loon. 1989. *Aphanomyces euteiches* new record as a component of the complex of foot and root pathogens of peas in Dutch soils. *Netherlands J. Pl. Pathol.* 95:259-264.

- ___, G. Dijst, F. C. Zoon, and P. W. T. Maas. 1997. Comparison of soil receptivity to *Thielaviopsis basicola*, *Aphanomyces euteiches*, and *Fusarium solani* f. sp. *pisi* causing root rot in pea. *Phytopathol.* 87:534-541.
- Parke, J. L., R. E. Rand, A. E. Joy, and E. B. King. 1991. Biological control of *Pythium* damping-off and *Aphanomyces* root rot of peas by application of *Pseudomonas cepacia* or *Pseudomonas fluorescens* to seed. *Pl. Dis.* 75:987-992.
- Paxton, C. G. M., and L. G. Willoughby. 2000. Resistance of perch eggs to attack by aquatic fungi. *J. Fish Biol.* 57:562-570.
- Payne, P. A., M. J. C. Asher, and C. D. Kershaw. 1994. The incidence of *Pythium* spp. and *Aphanomyces cochlioides* associated with the sugar-beet growing soils of Britain. *Pl. Pathol. (Oxford)* 43:300-308.
- ___, and G. E. Williams. 1990. Hymexazol treatment of sugar-beet seed to control seedling disease caused by *Pythium* spp. and *Aphanomyces cochlioides*. *Crop Protect.* 9:371-377.
- Persson, L., L. Bodker, and M. Larsson-Wikstrom. 1997. Prevalence and pathogenicity of foot and root rot pathogens of pea in southern Scandinavia. *Pl. Dis.* 81:171-174.
- ___, M. Larsson-Wikstrom, and B. Gerhardson. 1999. Assessment of soil suppressiveness to *Aphanomyces* root rot of pea. *Pl. Dis.* 83:1108-1112.
- ___, and S. Olsson. 2000. Abiotic characteristics of soils suppressive to *Aphanomyces* root rot. *Soil Biol. Biochem.* 32:1141-1150.
- Persson, M., L. Cerenius, and K. Söderhäll. 1987. The influence of hemocyte number on the resistance of the freshwater crayfish *Pacifastacus leniusculus* Dana to the parasitic fungus *Aphanomyces astaci*. *J. Fish Dis.* 10:471-478.
- Peters, R. D., and C. R. Grau. 2002. Inoculation with nonpathogenic *Fusarium solani* increases severity of pea root rot caused by *Aphanomyces euteiches*. *Pl. Dis.* 86:411-414.
- Pickering, A. D., and T. G. Pottinger. 1988. Lymphocytopenia and the overwinter survival of Atlantic salmon parr *Salmo salar* L. *J. Fish Biol.* 32:689-698.
- Pilet-Nayel, M. L., F. J. Muehlbauer, R. J. McGee, J. M. Kraft, A. Baranger, and C. J. Coyne. 2002. Quantitative trait loci for partial resistance to *Aphanomyces* root rot in pea. *Theoretical Appl. Genet.* 106:28-39.

- Pockl, M., and R. Pekny. 2002. Interaction between native and alien species of crayfish in Austria: Case studies. *Bull. Francais Peche & Pisciculture* 367:763-776.
- Pohl Branscheid, M., and W. Holtz. 1990. Control of spawning activity in male and female rainbow trout *Oncorhynchus mykiss* by repeated foreshortened seasonal light cycles. *Aquaculture* 86:93-104.
- Pottinger, T. G., and J. G. Day. 1999. A *Saprolegnia parasitica* challenge system for rainbow trout: assessment of Pyceze as an anti-fungal agent for both fish and ova. *Dis. Aquat. Organisms* 36:129-141.
- Proctor, H. C., H. M. Gray, and B. M. O'Connor. 1997. Mites (Acarina: Astigmata) associated with adult freshwater leeches (Hirudinea: Erpobdellidae). *J. Nat. Hist.* 31:539-544.
- Puckridge, J. T., K. F. Walker, J. S. Langdon, C. Daley, and G. W. Beakes. 1989. Mycotic dermatitis in a freshwater gizzard shad the bony bream *Nematalosa erebi* Guenther in the River Murray South Australia. *J. Fish Dis.* 12:205-222.
- Quiniou, S. M. A., S. Bigler, L. W. Clem, and J. E. Bly. 1998. Effects of water temperature on mucous cell distribution in channel catfish epidermis: A factor in winter saprolegniasis. *Fish & Shellfish Immunology* 8:1-11.
- Qureshi, T. A., R. Chauhan, and S. A. Mastan. 2001. Haematological investigations on fishes infested with fungal growth. *J. Environmental Biol.* 22:273-276.
- Rahe, R., and E. Soylu. 1989. Identification of the pathogenic fungus causing destruction to Turkish crayfish stocks *Astacus leptodactylus*. *J. Invertebrate Pathol.* 54:10-15.
- Ramamani, M., and J. V. R. Rao. 1988. Microbial load in freshwater fish *Mystus vittatus*. *J. Res. APAU* 16:134-136.
- Ramirez, M. C., R. Raposo, and E. Mateo-Sagasta. 1994. Occurrence of *Aphanomyces cochlioides* damping-off of sugar beet in Spain. *Pl. Dis.* 78:102.
- Ramnarine, I. W. 2001. Hatching trials with eggs of the armoured catfish *Hoplosternum littorale* (Hancock). *Aquaculture* 198:123-127.
- Rand, T. G., and D. Munden. 1993. Chemotaxis of zoospores of two fish-egg-pathogenic strains of *Saprolegnia diclina* (Oomycotina: Saprolegniaceae) toward salmonid egg chorion extracts and selected amino acids and sugars. *J. Aquat. Animal Health* 5:240-245.

- ____, and _____. 1993. Involvement of zoospores of *Saprolegnia diclina* (Oomycotina: Saprolegniaceae) in the attachment to and invasion of eggs of brook trout under experimental conditions. *J. Aquat. Animal Health* 5:233-239.
- Rantamaki, J., L. Cerenius, and K. Söderhäll. 1992. Prevention of transmission of the crayfish plague fungus *Aphanomyces astaci* to the freshwater crayfish *Astacus astacus* by treatment with magnesium chloride. *Aquaculture* 104:11-18.
- Rao, A., E. T. Gritton, C. R. Grau, and L. A. Peterson. 1995. Aeroponics chambers for evaluating resistance to *Aphanomyces* root rot of peas (*Pisum sativum*). *Pl. Dis.* 79:128-132.
- Rha, S. A. 1996. Studies on histopathology and characteristics of pathogenic fungus of mycotic granulomatosis in fishes. *Bull. Nippon Vet. & Animal Sci. University* 45:118-120.
- ____, S. Sinmuk, S. Wada, K. Yuasa, K. Nakamura, K. Hatai, and H. Ishii. 1996. Pathogenicity to ayu (*Plecoglossus altivelis*) of *Aphanomyces* sp. isolated from dwarf gourami (*Colisa lalia*). *Bull. Nippon Vet. & Animal Sci. University* 45:9-15.
- Roberts, R. J., L. G. Willoughby, and S. Chinabut. 1993. Mycotic aspects of epizootic ulcerative syndrome (EUS) of Asian fishes. *J. Fish Dis.* 16:169-183.
- Robinette, D., S. Wada, T. Arroll, M. G. Levy, W. L. Miller, and E. J. Noga. 1998. Antimicrobial activity in the skin of the channel catfish *Ictalurus punctatus*: Characterization of broad-spectrum histone-like antimicrobial proteins. *Cellular & Molec. Life Sci.* 54:467-475.
- Robinson, J., R. A. Griffiths, and P. Jeffries. 2003. Susceptibility of frog (*Rana temporaria*) and toad (*Bufo bufo*) eggs to invasion by *Saprolegnia*. *Amphibia Reptilia* 24:261-268.
- Royo, F., G. Gonzalez-Cienfuegos, and J. L. Muzquiz. 2002. Preliminary observation of occasional mortality in the population of freshwater crayfish in the Picos de Europa (Asturias, Spain). *Bull. Francais Peche & Pisciculture* 367:935-941.
- Rush, C. M. 1992. Stand establishment of sugar beet seedlings in pathogen-infested soils as influenced by cultivar and seed-priming technique. *Pl. Dis.* 76:800-805.
- ____, and K. M. Vaughn. 1993. Effect of irrigation, soil matric potential, and seed priming on sugar beet seed germination and damping-off caused by *Aphanomyces cochlioides*. *Phytopathol.* 83:202-206.

- Sakushima, A., and S. Nishibe. 1988. Taxifolin 3-arabinoside from *Trachelospermum jasminoides* var *pubescens*. *Phytochem. (Oxford)* 27:948-950.
- Sati, S. C. 1991. Aquatic fungi parasitic on temperate fishes of Kumaun Himalaya India. *Mycoses* 34:437-441.
- Saunders, J. W., J. M. Halloin, and J. M. McGrath. 2003. Registration of EL52 and EL48 sugarbeet germplasm. *Crop Sci.* 43:744-745.
- _____, J. M. McGrath, J. C. Theurer, and J. M. Halloin. 2000. Registration of 'SR87' sugarbeet germplasm with low tare and resistances to *Cereospora* and *Aphanomyces*. *Crop Sci.* 40:1833-1834.
- _____, J. C. Theurer, and J. M. Halloin. 1999. Registration of EL50 monogerm sugarbeet germplasm with resistance to *Cercospora* leaf spot and *Aphanomyces* blackroot. *Crop Sci.* 39:883.
- Schmahl, G., and H. Mehlhorn. 1988. Treatment of fish parasites 4. Effects of Sym Triazinone Toltrazuril on *Monogenea*. *Parasitology Res.* 75:132-143.
- Schreier, T. M., J. J. Rach, and G. E. Howe. 1996. Efficacy of formalin, hydrogen peroxide, and sodium chloride on fungal-infected rainbow trout eggs. *Aquaculture* 140:323-331.
- Sekizaki, H., and R. Yokosawa. 1988. Studies on zoospore-attracting activity I. Synthesis of isoflavones and their attracting activity to *Aphanomyces euteiches* zoospores. *Chem. Pharm. Bull.* 36:4876-4880.
- _____, _____, C. Chinen, H. Adachi, and Y. Yamane. 1993. Studies on zoospore attracting activity: II Synthesis of isoflavones and their attracting activity to *Aphanomyces euteiches* zoospores. *Biol. & Pharm. Bull.* 16:698-701.
- Shang, H., C. R. Grau, and R. D. Peters. 2000. Evidence of gene flow between pea and bean pathotypes of *Aphanomyces euteiches*. *Canad. J. Pl. Pathol.* 22:265-275.
- _____, _____, and _____. 2000. Oospore germination of *Aphanomyces euteiches* in root exudates and on the rhizoplanes of crop plants. *Pl. Dis.* 84:994-998.
- _____, _____, and _____. 2000. Variation in virulence, host specificity, hyphal growth rate, and size of the aplerotic zone in successive single-zoospore and single-oospore progenies of *Aphanomyces euteiches*. *Canad. J. Pl. Pathol.* 22:160-165.
- Shimai, T., M. T. Islam, Y. Fukushi, Y. Hashidoko, R. Yokosawa, and S. Tahara. 2002.

- Nicotinamide and structurally related compounds show halting activity against zoospores of the phytopathogenic fungus *Aphanomyces cochlioides*. *Zeitschr. Nat. Sect. C, J. Biosci.* 57:323-331.
- Singhal, R. N., S. Jeet, and R. W. Davies. 1987. Experimental transmission of *Saprolegnia* and *Achlya* to fish. *Aquaculture* 64:1-8.
- _____, _____, and _____. 1990. The effects of *Argulosis saprolegniasis* on the growth and production of *Cyprinus carpio*. *Hydrobiologia* 202:27-32.
- Sinmuk, S., H. Suda, and K. Hatai. 1996. *Aphanomyces* infection in juvenile soft-shelled turtle, *Pelodiscus sinensis*, imported from Singapore. *Mycosci.* 37:249-254.
- Skurdal, J. 1994. Crayfish management in the Nordic and Baltic countries. *Nordic J. Freshwater Res.* 0:181-184.
- Slezack, S., E. Dumas-Gaudot, S. Rosendahl, R. Kjoller, M. Paynot, J. Negrel, and S. Gianinazzi. 1999. Endoproteolytic activities in pea roots inoculated with the arbuscular mycorrhizal fungus *Glomus mosseae* and/or *Aphanomyces euteiches* in relation to bioprotection. *New Phytologist* 142:517-529.
- Smith, B. J., and J. A. Kirkegaard. 2002. *In vitro* inhibition of soil microorganisms by 2-phenylethyl isothiocyanate. *Pl. Pathol. (Oxford)* 51:585-593.
- Smolinska, U., G. R. Knudsen, M. J. Morra, and V. Borek. 1997. Inhibition of *Aphanomyces euteiches* f. sp. *pisi* by volatiles produced by hydrolysis of *Brassica napus* seed meal. *Pl. Dis.* 81:288-292.
- _____, M. J. Morra, G. R. Knudsen, and P. D. Brown. 1997. Toxicity of glucosinolate degradation products from *Brassica napus* seed meal toward *Aphanomyces euteiches* f. sp. *pisi*. *Phytopathol.* 87:77-82.
- Soderhall, K., J. Rantamaki, and O. Constantinescu. 1993. Isolation of *Trichosporon beigeli* from the freshwater crayfish *Astacus astacus*. *Aquaculture* 116:25-31.
- _____, M. W. Dick, G. Clark, M. Furst, and O. Constantinescu. 1991. Isolation of *Saprolegnia parasitica* from the crayfish *Astacus leptodactylus*. *Aquaculture* 92:121-126.
- Stanghellini, M. E., and R. M. Miller. 1997. Their identity and potential efficacy in the biological control of zoosporic plant pathogens. *Pl. Dis.* 81:4-12.
- Stinson, A. M., N. K. Zidack, G. A. Strobel, and B. J. Jacobsen. 2003. Mycofumigation

- with *Muscodora albus* and *Muscodora roseus* for control of seedling diseases of sugar beet and *Verticillium* wilt of eggplant. *Pl. Dis.* 87:1349-1354.
- Stone, A. G., G. E. Vallad, L. R. Cooperband, D. Rotenberg, H. M. Darby, R. V. James, W. R. Stevenson, and R. M. Goodman. 2003. Effect of organic amendments on soilborne and foliar diseases in field-grown snap bean and cucumber. *Pl. Dis.* 87:1037-1042.
- Svardson, G. 1992. Ecological co-evolution of the parasitic fungus *Aphanomyces astaci* and its crayfish host. *Finnish Fish. Res.* 14:135-143.
- _____, M. Furst, and A. Fjalling. 1991. Population resilience of *Pacifastacus leniusculus* in Sweden. *Finnish Fish. Res.* 12:165-170.
- Sweigard, J., and H. D. Vanetten. 1987. Reduction in pisatin sensitivity of *Aphanomyces euteiches* by polar lipid extracts. *Phytopathol.* 77:771-775.
- Szalai, A. J., J. E. Bly, and L. W. Clem. 1994. Changes in serum concentrations of channel catfish (*Ictalurus punctatus* Rafinesque) phosphorylcholine-reactive protein (PRP) in response to inflammatory agents, low temperature-shock and infection by the fungus *Saprolegnia* sp. *Fish & Shellfish Immunology* 4:323-336.
- Tahara, S., M. Mizutani, T. Takayama, and K. Ohkawa. 1999. Plant secondary metabolites regulating behaviour of zoospores of the phytopathogenic fungus *Aphanomyces cochlioides*. *Pesticide Sci.* 55:209-211.
- _____, K. Ohkawa, T. Takayama, and Y. Ogawa. 2001. The third naturally occurring attractant toward zoospores of phytopathogenic *Aphanomyces cochlioides* from the *Spinacia oleracea* host plant. *Bioscience Biotech. Biochem.* 65:1755-1760.
- Takayama, T., J. Mizutani, and S. Tahara. 1998. Drop method as a quantitative bioassay method of chemotaxis of *Aphanomyces cochlioides* zoospore. *Ann. Phytopathol. Soc. Japan* 64:175-178.
- Tampieri, M. P. 1998. Mycoses of fish. *Med. Mycol.* 36:216-219.
- Taugbol, T., J. Skurdal, and T. Hastein. 1992. Crayfish plague and management strategies in Norway. *Biol. Conservation* 63:75-82.
- Teutsch, C. D., and R. M. Sulc. 1997. Influence of seedling growth stage on flooding injury in alfalfa. *Agron. J.* 89:970-975.
- Thinggaard, K., and A. L. Middelboe. 1989. *Phytophthora* and *Pythium* in pot plant

- cultures grown on ebb and flow bench with recirculating nutrient solution. J. Phytopath. (Berlin) 125:343-352.
- Thompson, K. D., J. H. Lilley, S. C. Chen, A. Adams, and R. H. Richards. 1999. The immune response of rainbow trout (*Oncorhynchus mykiss*) against *Aphanomyces invadans*. Fish & Shellfish Immunology 9:195-210.
- _____, _____, S. Chinabut, and A. Adams. 1997. The antibody response of snakehead, *Channa striata* Bloch, to *Aphanomyces invadans*. Fish & Shellfish Immunology 7:349-353.
- Thornqvist, P. O., and K. Söderhäll. 1993. *Psorospermium haeckeli* and its interaction with the crayfish defence system. Aquaculture 117:205-213.
- Tofte, J. E., R. R. Smith, and C. R. Grau. 1991. Selection for resistance to *Aphanomyces euteiches* in red clover. Crop Sci. 31:1141-1144.
- _____, _____, and _____. 1992. Reaction of red clover to *Aphanomyces euteiches*. Pl. Dis. 76:39-42.
- Tu, J. C. 1991. Etiology biology and control of a soilborne root rot complex of green peas. Pl. Protect. Bull. (Taichung) 33:17-35.
- _____. 1992. Management of root rot diseases of peas beans and tomatoes. Canad. J. Pl. Pathol. 14:92-99.
- Vandemark, G. J., B. M. Barker, and M. A. Gritsenko. 2002. Quantifying *Aphanomyces euteiches* in alfalfa with a fluorescent polymerase chain reaction assay. Phytopathol. 92:265-272.
- _____, J. M. Kraft, R. C. Larsen, M. A. Gritsenko, and W. L. Boge. 2000. A PCR-based assay by sequence-characterized DNA markers for the identification and detection of *Aphanomyces euteiches*. Phytopathol. 90:1137-1144.
- Van-West, P., A. A. Appiah, and N. A. R. Gow. 2003. Advances in research on oomycete root pathogens. Physiol. Molec. Pl. Pathol. 62:99-113.
- Vennerstrom, P., K. Söderhäll, and L. Cerenius. 1998. The origin of two crayfish plague (*Aphanomyces astaci*) epizootics in Finland on noble crayfish, *Astacus astacus*. Ann. Zoologici Fennici 35:43-46.
- Vincelli, P., J. Henning, T. Hendrick, J. Brown, L. J. Osborne, B. Prewitt, V. Shields, D. Sorrell, K. D. Strohmeier, R. Tackett, and J. W. Wyles. 2000. Improved seedling health, yield, and stand persistence with alfalfa resistant to *Aphanomyces* root rot. Agron. J. 92:1071-1076.

- _____, L. M. Lauriault, and J. C. Henning. 1995. Yields of alfalfa varieties selected for *Aphanomyces* resistance in Kentucky. *Agron. J.* 87:748-752.
- _____, W. C. Nesmith, and B. C. Eshenaur. 1994. Incidence of *Aphanomyces euteiches* and *Phytophthora medicaginis* in Kentucky alfalfa fields. *Pl. Dis.* 78:645-647.
- _____. 1992. Potential for seedling disease of alfalfa caused by *Aphanomyces euteiches* in a Kentucky soil USA. *Pl. Dis.* 76:622-626.
- Vogelbein, W. K., J. D. Shields, L. W. Haas, K. S. Reece, and D. E. Zwerner. 2001. Skin ulcers in estuarine fishes: A comparative pathological evaluation of wild and laboratory-exposed fish. *Environmental Health Perspect.* 109:687-693.
- Vorburger, C., and G. Ribi. 1999. Aggression and competition for shelter between a native and an introduced crayfish in Europe. *Freshwater Biol.* 42:111-119.
- Wada, S., K. Hatai, and H. Ishii. 1993. Mycotic gastritis of juvenile ayu (*Plecoglossus altivelis*) caused by *Saprolegnia diclina* Type 1. *J. Wildlife Dis.* 29:587-590.
- _____, S. A. Rha, T. Kondoh, H. Suda, K. Hatai, and H. Ishii. 1996. Histopathological comparison between ayu and carp artificially infected with *Aphanomyces piscicida*. *Fish Pathol.* 31:71-80.
- _____, K. Yuasa, S. A. Rha, K. Nakamura, and K. Hatai. 1994. Histopathology of *Aphanomyces* infection in dwarf gourami (*Colisa lalia*). *Fish Pathol.* 29:229-237.
- Wagner, E. J. 1993. Evaluation of a new baffle design for solid waste removal from hatchery raceways. *Progr. Fish Cult.* 55:43-47.
- Wakelin, S. A., M. Walter, M. Jaspers, and A. Stewart. 2002. Biological control of *Aphanomyces euteiches* root-rot of pea with spore-forming bacteria. *Austral. Pl. Pathol.* 31:401-407.
- Walker, R., S. Rossall, and M. J. C. Asher. 2002. Colonization of the developing rhizosphere of sugar beet seedlings by potential biocontrol agents applied as seed treatments. *J. Appl. Microbiol.* 92:228-237.
- Walther, D., and D. Gindrat. 1987. Antagonism of *Rhizoctonia* spp. to *Pythium oligandrum* and damping-off fungi. *J. Phytopath. (Berlin)* 119:248-254.
- Wardrip, C. L., S. L. Seps, L. Skrocki, L. Nguyen, P. R. Waterstrat, and X. Li. 1999. Diagnostic exercise: Fluffy, white, cotton candy-like growth on the gills, fins, and

- skin of salamanders (*Amblystoma tigrinum*). *Contemp. Topics in Lab. Animal Sci.* 38:81-83.
- Waterstrat, P. R. 1997. Distribution and abundance of *Saprolegnia* in the water system of a chinook salmon hatchery. *J. Aquat. Animal Health* 9:58-63.
- _____, and L. L. Marking. 1995. Clinical evaluation of formalin, hydrogen peroxide, and sodium chloride for the treatment of *Saprolegnia parasitica* on fall chinook salmon eggs. *Progr. Fish Cult.* 57:287-291.
- Weiland, J. J., and J. L. Sundsbak. 2000. Differentiation and detection of sugar beet fungal pathogens using PCR amplification of actin coding sequences and the ITS region of the rRNA gene. *Pl. Dis.* 84:475-482.
- Westman, K. 1991. The crayfish fishery in Finland: its past present and future. *Finnish Fish. Res.* 12:187-216.
- _____. 1992. Management of the noble crayfish *Astacus astacus* (L.) and the signal crayfish *Pacifastacus leniusculus* (Dana) in Finland. *Finnish Fish. Res.* 14:39-51.
- _____, and R. Savolainen. 2001. Long term study of competition between two co-occurring crayfish species, the native *Astacus astacus* L. and the introduced *Pacifastacus leniusculus* Dana, in a Finnish lake. *Bull. Francais Peche & Pisciculture* 361:613-627
- _____, _____, and M. Julkunen. 2002. Replacement of the native crayfish *Astacus astacus* by the introduced species *Pacifastacus leniusculus* in a small, enclosed Finnish lake: A 30-year study. *Ecography* 25:53-73.
- _____, _____, and M. Pursiainen. 1999. Development of the introduced North American signal crayfish, *Pacifastacus leniusculus* (Dana), population in a small Finnish forest lake in 1970-1997. *Boreal Environmental Res.* 4:387-407.
- _____, and P. Westman. 1992. Present status of crayfish management in Europe. *Finnish Fish. Res.* 14:1-22.
- Wicker, E., M. Hulle, and F. Rouxel. 2001. Pathogenic characteristics of isolates of *Aphanomyces euteiches* from pea in France. *Pl. Pathol. (Oxford)* 50:433-442.
- _____, A. Moussart, M. Duparque, and F. Rouxel. 2003. Further contributions to the development of a differential set of pea cultivars (*Pisum sativum*) to investigate the virulence of isolates of *Aphanomyces euteiches*. *Eur. J. Pl. Pathol.* 109:47-60.

- _____, and F. Rouxel. 2001. Specific behaviour of French *Aphanomyces euteiches* Drechs. populations for virulence and aggressiveness on pea, related to isolates from Europe, America and New Zealand. *Eur. J. Pl. Pathol.* 107:919-929.
- Wiersma, D. W., C. R. Grau, and D. J. Undersander. 1995. Alfalfa cultivar performance with differing levels of resistance to *Phytophthora* and *Aphanomyces* root rots. *J. Production Agric.* 8:259-264.
- _____, D. J. Undersander, and C. R. Grau. 1997. Root heave of alfalfa cultivars with differing levels of resistance to *Aphanomyces* root rot. *Agron. J.* 89:148-150.
- Williams, G. E., and M. J. C. Asher. 1996. Selection of rhizobacteria for the control of *Pythium ultimum* and *Aphanomyces cochlioides* on sugar-beet seedlings. *Crop Protect.* 15:479-486.
- Williams-Woodward, J. L., F. L. Pflieger, R. R. Allmaras, and V. A. Fritz. 1998. *Aphanomyces euteiches* inoculum potential: A rolled-towel bioassay suitable for fine-textured soils. *Pl. Dis.* 82:386-390.
- _____, _____, V. A. Fritz, and R. R. Allmaras. 1997. Green manures of oat, rape and sweet corn for reducing common root rot in pea (*Pisum sativum*) caused by *Aphanomyces euteiches*. *Pl. & Soil* 188:43-48.
- Willoughby, L. G. 1997. *Achlya diffusa* (Fungi, Oomycota) from fish ponds in Thailand. *Nova Hedwigia* 64:467-471.
- _____, and R. J. Roberts. 1992. Towards strategic use of fungicides against *Saprolegnia parasitica* in salmonid fish hatcheries. *J. Fish Dis.* 15:1-13.
- _____, and _____. 1994. Improved methodology for isolation of the *Aphanomyces* fungal pathogen of epizootic ulcerative syndrome (EUS) in Asian fish. *J. Fish Dis.* 17:541-543.
- _____, and _____. 1994. Loss and recovery of zoospore motility in an isolate of *Aphanomyces* from a diseased fish. *Mycol. Res.* 98:1463-1464.
- Worku, Y., and B. Gerhardson. 1996. Suppressiveness to clubroot, pea root rot and fusarium wilt in Swedish soils. *J. Phytopath. (Berlin)* 144:143-146.
- Xu, D., and W. A. Rogers. 1991. Electron microscopy of infection by *Saprolegnia* spp in Channel Catfish. *J. Aquat. Animal Health* 3:63-69.
- Xue, A. G. 2003. Biological control of pathogens causing root rot complex in field pea

using *Clonostachys rosea* strain ACM941. *Phytopathol.* 93:329-335.

Yokosawa, R., H. Sekizaki, and S. Kunita. 1988. Attractants of *Aphanomyces cochlioides* zoospores contained in sugar beet seedlings. *Ann. Phytopathol. Soc. Japan* 54:133-140.

Yuasa, K., and K. Hatai. 1995. Relationship between pathogenicity of *Saprolegnia* spp. isolates to rainbow trout and their biological characteristics. *Fish Pathol.* 30:101-106.

_____, and _____. 1996. Some biochemical characteristics of the genera *Saprolegnia*, *Achlya* and *Aphanomyces* isolated from fishes with fungal infection. *Mycosci.* 37:477-479.

_____, N. Kitanchaoen, and K. Hatai. 1997. Simple method to distinguish between *Saprolegnia parasitica* and *S. diclina* isolated from fishes with saprolegniasis. *Fish Pathol.* 32:175-176.

Other (40 papers)

Aki, T., Y. Matsumoto, T. Morinaga, S. Kawamoto, S. Shigeta, K. Ono, and O. Suzuki. 1998. Lipid composition of a newly isolated polyunsaturated fatty acid-producing fungus, *Achlya* sp. ma-2801. *J. Ferment. Bioengineering* 86:504-507.

Anderson, J., R. F. Langler, and F. Barlocher. 2003. Phylum-specific fungitoxicity of new disulfide compounds. *Sydowia* 55:121-128.

Andersson, M. G., and L. Cerenius. 2002. Pumilio homologue from *Saprolegnia parasitica* specifically expressed in undifferentiated spore cysts. *Eukaryotic Cell* 1:105-111.

Arnoldi, A., and L. Merlini. 1990. Lipophilicity-antifungal activity relationships for some isoflavonoid phytoalexins. *J. Agric. Food Chem.* 38:834-838.

Bisht, G. S., C. Joshi, and R. D. Khulbe. 1996. Water molds: Potential biological control agents of malaria vector *Anopheles culicifacies*. *Curr. Sci. (Bangalore)* 70:393-395.

Bullis, R. A., E. J. Noga, and M. G. Levy. 1996. Production and preliminary characterization of monoclonal antibodies to *Saprolegnia parasitica*. *Mycol. Res.* 100:489-494.

Burnie, J. P., and R. C. Matthews. 1991. Heat Shock Protein 88 and *Aspergillus* infection. *J. Clinical Microbiol.* 29:2099-2106.

- Charlton, W. A. 1993. The rotated-lamina syndrome: I. Ulmaceae. *Canad. J. Bot.* 71:211-221.
- Choi, E. Y., J. N. Park, H. O. Kim, D. J. Shin, Y. H. Chun, S. Y. Im, S. B. Chun, and S. Bai. 2002. Construction of an industrial polyploid strain of *Saccharomyces cerevisiae* containing *Saprolegnia ferax* beta-amylase gene and secreting beta-amylase. *Biotech. Letters* 24:1785-1790.
- Dandurand, L. M., and G. R. Knudsen. 1993. Influence of *Pseudomonas fluorescens* on hyphal growth and biocontrol activity of *Trichoderma harzianum* in the spermosphere and rhizosphere of pea. *Phytopathol.* 83:265-270.
- Dieguez-Uribeondo, J., L. Cerenius, and K. Söderhäll. 1996. Physiological characterization of *Saprolegnia parasitica* isolates from brown trout. *Aquaculture* 140:247-257.
- Doll, J., B. Hause, K. Demchenko, K. Pawlowski, and F. Krajinski. 2003. A member of the germin-like protein family is a highly conserved mycorrhiza-specific induced gene. *Pl. Cell Physiol.* 44:1208-1214.
- Dyer, A. T., and K. J. Leonard. 2000. Contamination, error, and nonspecific molecular tools. *Phytopathol.* 90:565-567.
- Gilpin, B. J., and B. R. Palmer. 1992. Identification, characterisation and TN5-mutagenesis of a fluorescent pseudomonad isolated in New Zealand displaying strong anti-fungal activity. *New Zealand Nat. Sci.* 19:87-94.
- Hamberg, M. 1987. Vanadium-catalyzed transformation of 13 S hydroperoxy-9z-11e-octadecadienoic acid structural studies on epoxy alcohols and trihydroxy acids. *Chem. & Physics of Lipids* 43:55-68.
- Horio, T., K. Yoshida, H. Kikuchi, J. Kawabata, and J. Mizutani. 1993. A phenolic amide from roots of *Chenopodium album*. *Phytochem. (Oxford)* 33:807-808.
- Hyde, G. 1998. Calcium imaging: A primer for mycologists. *Fungal Genet. & Biol.* 24:14-23.
- Johnson, R. M., and J. T. Sims. 1993. Influence of surface and subsoil properties on herbicide sorption by Atlantic coastal plain soils. *Soil Sci.* 155:339-348.
- Khallil, A. M., and M. M. Eman. 1996. Microbiological transformation of progesterone by some zoosporic fungi. *J. Basic Microbiol.* 36:255-259.

- Kitancharoen, N., and K. Hatai. 1998. Some biochemical characteristics of fungi isolated from salmonid eggs. *Mycosci.* 39:249-255.
- Léjohn, H. B. 1989. Structure and expression of fungal calmodulin gene. *J. Biol. Chem.* 264:19366-19372.
- _____, L. E. Cameron, B. Yang, and S. L. Rennie. 1994. Molecular characterization of an NAD-specific glutamate dehydrogenase gene inducible by L-glutamine: Antisense gene pair arrangement with L-glutamine-inducible heat shock 70-like protein gene. *J. Biol. Chem.* 269:4523-4531.
- Lew, R. R. 1998. Mapping fungal ion channel locations. *Fungal Genet. & Biol.* 24:69-76.
- Loprete, D. M., and T. W. Hill. 2002. Isolation and characterization of an endo-(1,4)-beta-glucanase secreted by *Achlya ambisexualis*. *Mycologia* 94:903-911.
- Mort-Bontemps, M., and M. Fèvre. 1997. Transformation of the oomycete *Saprolegnia monoica* to hygromycin-B resistance. *Curr. Genet.* 31:272-275.
- Muzzarelli, R. A. A., M. Miliani, M. Cartolari, R. Tarsi, G. Tosi, and C. Muzzarelli. 2000. Polyuronans obtained by regiospecific oxidation of polysaccharides from *Aspergillus niger*, *Trichoderma reesi* and *Saprolegnia sp.* *Carbohyd. Polymers* 43:55-61.
- Pelosi, L., T. Imai, H. Chanzy, L. Heux, E. Buhler, and V. Bulone. 2003. Structural and morphological diversity of (1fwdarw3)-beta-D-glucans synthesized *in vitro* by enzymes from *Saprolegnia monoica*. Comparison with a corresponding *in vitro* product from blackberry (*Rubus fruticosus*). *Biochem.* 42:6264-6274.
- Petersen, A. B., L. W. Olson, and S. Rosendahl. 1996. Use of polyclonal antibodies to detect oospores of *Aphanomyces*. *Mycol. Res.* 100:495-499.
- Sadowski, L. A., and M. J. Powell. 1990. Cytochemical detection of polysaccharides in zoospores of *Aphanomyces euteiches*. *Canad. J. Bot.* 68:1379-1388.
- Schmid, A. M. M. 1988. The special golgi-er-mitochondrion unit in the diatom genus *Coscinodiscus*. *Pl. Systematics & Evolution* 158:211-224.
- Schowalter, D. B., D. O. Toft, and S. S. Sommer. 1990. A method of sequencing without subcloning and its application to the identification of a novel orf with a sequence suggestive of a transcriptional regulator in the water mold *Achlya ambisexualis*. *Genomics* 6:23-32.

- Shapiro, A., and J. T. Mullins. 1997. Localization of cytoplasmic water-soluble reserve (1,3)-beta-glucans in *Achlya* with immunostaining. *Mycologia* 89:89-91.
- Shirasaka, N., and S. Shimizu. 1995. Production of eicosapentaenoic acid by *Saprolegnia* sp. 28YTF-1. *J. Amer. Oil Chemists' Soc.* 72:1545-1549.
- _____, T. Yokochi, and S. Shimizu. 1995. Formation of a novel odd chain polyunsaturated fatty acid, 5,8,11,14, 17-cis-nonadecapentaenoic acid, by an EPA-producing aquatic fungus, *Saprolegnia* sp. 28YTF-1. *Bioscience Biotech. Biochem.* 59:1963-1965.
- Thomas, D. D. 1989. A method for preparing *Achlya* cysts with zoosporogenic potential. *Mycol. Res.* 92:233-235.
- Voos, W., B. D. Gambill, B. Guiard, N. Pfanner, and E. A. Craig. 1993. Presequence and mature part of preproteins strongly influence the dependence of mitochondrial protein import on heat shock protein 70 in the matrix. *J. Cell Biol.* 123:119-126.
- Yang, B., and H. B. Léjohn. 1994. NADP⁺-activable, NAD⁺-specific glutamate dehydrogenase: Purification and immunological analysis. *J. Biol. Chem.* 269:4506-4512.
- Youatt, J. 1994. The toxicity of metal chelate complexes of EGTA precludes the use of EGTA buffered media for the fungi *Allomyces* and *Achlya*. *Microbios* 79:171-185.
- Young, D. H., E. L. Michelotti, C. S. Swindell, and N. E. Krauss. 1992. Antifungal properties of taxol and various analogues. *Experientia (Basel)* 48:882-885.