REFERENCES

Alvarez-Salgado, X. A. and A. E. J. Miller (1998). "Simultaneous determination of dissolved organic carbon and total dissolved nitrogen in seawater by high temperature catalytic oxidation: conditions for precise shipboard measurements." Marine Chemistry **62**: 325-333.

Amador, J. A., P. J. Milne, et al. (1990). "Extraction of chromophoric humic substances from seawater." Marine Chemistry **29**: 1-17.

Anderson, M. A. and F. M. Morel (1982). "The influence of aqueous iron chemistry on the uptake of iron by the coastal diatom *Thalassiosira weissflogii*." Limnology and Oceanography **27**: 789-813.

Banse, K. (1990). "Does iron really limit phytoplankton production in the offshore subarctic Pacific?" Limnology and Oceanography **35**: 772-775.

Blough, N. V. and S. A. Green (1995). Spectroscopic characterization and remote sensing of nonliving organic matter, Wiley & Sons Ltd.

Bruland, K. W. (1980). "Oceanographic Distributions of Cadmium, Zinc, Nickel and Copper in the North Pacific." Earth and Planetary Science Letters **47**: 176-198.

Bruland, K. W., R. P. Franks, et al. (1979). "Sampling and analytical methods for the determination of copper, cadmium, zinc, and nickel at the nanogram per liter level in seawater." Analytica Chimica Acta **105**: 223-245.

Coble, P. G., C. A. Schultz, et al. (1993). "Fluorescence contouring analysis of DOC Intercalibration Experiment samples: a comparison of techniques." Marine Chemistry **41**: 175-178.

Coble, P. G. (1996). "Characterization of marine and terrestrial DOM in seawater using excitation-emission matrix spectroscopy." Marine Chemistry **51**: 325-346.

Coble, P. G., C. E. Del Castillo, et al. (1998). "Distribution and optical properties of CDOM in the Arabian Sea during the 1995 Southwest Monsoon." Deep-Sea Research II **45**: 2195-2223.

Decesari, S., M. C. Facchini, et al. (2002). "Water soluble organic compounds formed by oxidation of soot." Atmospheric Environment **36**: 1827-1832.

Del Castillo, C. E. and P. G. Coble (1999). "Analysis of the optical properties of the Orinoco River Plume by absorption and fluoresence spectroscopy." Marine Chemistry **66**: 35-51.

Faust, B. C. (1994). A review of the photochemical redox reactions of iron(III) species in atmospheric, oceanic, and surface waters: Influences on geochemical cycles and oxidant formation. Environmental Aspects of Surface and Aquatic Photochemistry. R. G. Helz, R. G. Zepp and D. G. Crosby. Ann Arbor, Lewis Publ.**:** 3-37.

Heihachiro, T., Nishioka, J. et al. (2003). "Iron(III) hydroxide solubility and humic-type fluorescent organic matter in deep water column of the Okhotsk Sea and the northwestern North Pacific Ocean." Deep Sea Research **50**(9): 1063-1078.

Holmes, R. M., A. Aminot, et al. (1999). "A simple and precise method for measuring ammonium in marine and freshwater ecosystems." Canadian Journal of Fisheries and Aquatic Science **56**: 1801-1808.

Kieber, R. J., K. H. Williams, et al. (2001). "Iron speciation in coastal rainwater: concentration and deposition to seawater." Marine Chemistry **73**: 83-95.

Kieber, R. J., D. R. Hardison, et al. (2003). "Photochemical production of Fe(II) in rainwater." Environmental Science and Technology **37**: 4610-4616

Kieber, R. J., S. A. Skrabal, et al. (2005). "Organic complexation of Fe(II) and its impact on the redox cycling of iron in rain." Environmental Science and Technology **39**: 1576-1583.

Long, M. (2003). Atmospheric Deposition in Southeastern North Carolina and its impact on the Cape Fear River Estuary. Center for Marine Science. Wilmington, University of North Carolina at Wilmington: 100.

Martin, J. H. and S. E. Fitzwater (1988). "Iron deficiency limits phytoplankton growth in the northeast Pacific subartic." Nature **331**: 341-343.

Martin, J. H. and R. M. Gordon (1988). "Northeast Pacific iron distributions in relation to phytoplankton productivity." Deep Sea Research **35**: 177-196.

Martin, J. H., R. M. Gordon, et al. (1990). "Iron in Antartic waters." Nature **345**: 156-158.

Martin, J. H., R. M. Gordon, et al. (1991). "The case for iron limitation." Limnology and Oceanography **36**: 1793-1802.

Merriam, J., W.H. McDowell, et al. (1996). "A High-Temperature Catalytic Oxidation Technique for Determining Total Dissolved Nitrogen." Journal of Soil Science Society of America. **60**(July-Auguest): 1050-1055.

Reid, S. (2003). Chromophoric Dissolved Organic Matter in Coastal Rainwater. Department of Chemistry. Wilmington, University of North Carolina at Wilmington**:** 72.

Rich, H. W. and F. M. Morel (1990). "Availability of well-defined colloids to the marine diatom *Thalassiosira weissflogii*." Limnology and Oceanography **35**: 652-662.

Rijkenberg, M. J. A. (2005). Photochemistry and Organic Complexation of Iron Interactions in the Southern Ocean. Amsterdam, University of Groningen, The Netherlands**:** 222.

Stookey, L. C. (1970). "Ferrozine- a new spectrophotometric reagent for iron." Analytical Chemistry **42**: 779-781.

Tramontano, J. M., J. R. Scudlark, et al. (1987). "A method for the collection, handling and analysis of trace metals in precipitation." Environmental Science and Technology **21**: 749-753.

Willey, J. D., R. J. Kieber, et al. (2000). "Temporal Variability of Iron Speciation in Coastal Rainwater." Journal of Atmospheric Chemistry **37**: 185-205.

Willey, J. D., R. F. Whitehead, et al. (2005). "Oxidation of Fe(II) in rainwater." Environmental Science and Technology **39**: 2579-2585.